


Murder on the Micro: Whodunit?



Works with Keyboard, Joystick, or Atari Joystick



Softline's New Policy

Directline 3

Master of the Mite: An Interview with Jim Nitchals Matthew T. Yuen 6

> Pac-Man Champ: Ready on the Set

The Amazing Maze in 3-D

Brian Fitzgerald 10

Atari Sound: Music of the Spheres Bill Williams

15

The Case of the Micro Mystery: The Private Eye's on Home Computers Andrew Christie

18

Gameline 22

New Players 27

Adventures in Adventuring: The Thing's the Thing Ken Rose 28

> Apple II Graphics: Byting Off Animation Ken Williams

> > 31

High Scores and Highlines

35

Sherwin Steffin's education column will return next issue.

Softline. Volume 2, Number 1. Copyright © 1982 by Softalk Publishing Inc. All rights reserved. *Softline* is published on the fifteenth day of every other month by Softalk Publishing Inc., 11021 Magnolia Boulevard, North Hollywood, CA 91601. Telephone (213) 980-5074. Second class controlled circulation pending at North Hollywood, California.

Composition by Photographics, Hollywood, California. Printing by Volkmuth Printers, Saint Cloud, Minnesota.

Apple is a trademark of Apple Computer Inc., Cupertino, California. Atari is a trademark of Atari Inc., Sunnyvale, California. IBM and IBM Personal Computer are trademarks of International Business Machines, Armonk, New York. Pet and Commodore are trademarks of Commodore Business Machines, King of Prussia, Pennsylvania. TRS-80 is a trademark of Tandy Corpo-

S

F

ration, Fort Worth, Texas.

Subscriptions: Write to Softline Circulation, Box 60, North Hollywood, CA 91603. Subscriptions are \$12 for one year (six issues). Please include with your subscription order your name and address and, if applicable, the brand, model, and serial number of the computer you own and a brief description of your peripherals. This information is used to direct *Softline* best to your needs.

Moving? Send new address and old to Softline Circulation, Box 60, North Hollywood, CA 91603; telephone (213) 980-5074.

Postmaster: Send address changes to Softline, Box 60, North Hollywood, CA 91603.

9

2

8

PTEMBER 1

Softline Staff

Editorial Editor

Managing Editor Co-Editor Associate Editors

Directline Assistant Editors

Proofreader Art

Patricia Ryall Andrew Christie lean Varven David Hunter Tommy Gear **Michael Ferris** David Durkee Matthew T. Yuen Harry McNeil

Margot Comstock Tommervik

Kurt A. Wahlner

Art Director Administration

Publisher Associate Publisher Accountant Accounting Assistants Mary Milam

Al Tommervik **Mary Sue Rennells Evelyn Burke** Lois Stickelmaier

Assistant to the Publisher

Dan Yoder

Paul McGinnis

(212) 490-1021

Ted Rickard

60 East 42nd Street

John Sienkiewicz

435 Locust Road

(312) 251-2541

Softline

Box 60

Wilmette, IL 60091

North Hollywood CA 91603

New York, NY 10017

Paul McGinnis Company

Market/Media Associates

11021 Magnolia Boulevarc

Advertising East Coast Sales

Midwest and Rocky **Mountain Sales**

West Coast Sales

Circulation Supervisors

Hal Schick **Ron Rennells** Donna Siebert

(213) 980-5074

Advertisers

and the second	
Apogee Software Distributors	27
ARS Publications	17
Avalanche Productions	14
Avant-Garde Creations	34
Bez	
Bourbon Street Press	26
Calsoft	
Computer Diversions	32
The Computer Express	12
Don't Ask Computer Software	20
East Coast Software	16
Edu-Ware Services Cover	
Gold Disk Software	
Harcourt Brace Jovanovich	
Infocom	-5
Kraft Systems	
Lord of the Games	
Output Inc.	
Penguin SoftwareCover	
Sierra On-LineCover	
Snave Systems	
Software City	
Strom Systems	
	- 1

A New Policy

Dear Readers:

This issue begins the second year of Softline magazine and marks a turning point in its existence. Softline will no longer be free.

During the past year, we've sought to focus on entertainment software for the home computer market in its broadest aspects. Our cover stories have ranged far afield to bring a diversity of views to the home gaming phenomenon. Our features have introduced you to up-and-coming programmers and companies and provided sneak previews of innovative software. In this light, we can finally report-much to our relief-the release of the Arcade Machine for the Apple II computer from Broderbund Software, featured in these pages several months ago.

We believe entertainment software is a light subject worthy of weighty consideration. To practice what we preach, we've brought you four regular columnists. Ken Williams has focused on graphics techniques for the Apple II, and Bill Williams has addressed the creation of sound for Atari programs. In addition to the two columns speaking to specific computers, Ken Rose has used Basic to present techniques for writing adventure games for any computer.

And, because gaming is especially for the young, Softline has featured an education column by Sherwin Steffin to help youngsters and parents understand the whys and wherefores of educational software. Steffin has taken this issue off to prepare a treatise on arcade games for the next issue.

Softalk Publishing produces three magazines, but it is stretching the truth not a whit to say that the staff takes great pride and has the most fun doing Softline. Our feeling for Softline seems to have communicated itself to you. Our circulation has doubled and reader response has always been strong. We bask in the warm comments received.

But it's time to put to bed the myth that Softline is an advertiser-sponsored publication. You don't need an advanced course in number theory to see that Softline has not significantly increased the amount of its advertising. What that has meant is stable revenue in the face of increasing costs, caused by inflation and the doubling of our circulation. Try as we might, we cannot print twice as many copies on the same revenue.

So, sadly, we must turn to you to help bear the expense. We take no pleasure in this act, because it's been a real joy to give you the best magazine we could afford each issue. All of us at Softline can testify that it's more fun to give than to receive.

Nevertheless, Softline will now cost \$12 for the six issues representing one year. Until such time as we can efficiently mobilize a mailing effort to send you a renewal notice, we will accept \$9 for one year and \$18 for two years. These lower prices are our way of thanking those of you who save us the effort of sending you a renewal notice.

We're proud of the value that we pack into Softline and we have fun making the magazine. All of us hope you'll choose to share that fun with us for another year.

> Sincerely, Al Tommervik, Publisher Margot Comstock Tommervik, Editor Ken Williams, Associate Publisher Andrew Christie, Co-Editor Kurt Wahlner, Art Director

S Ν F Т

Directline

Capturing the Elusive Asterisk

All that is required to do text or graphics printouts from copyprotected games is a monitor ROM switch (the red one) on a firmware card, and a printer that can be controlled without the use of special driver routines. First flip the switch, then press reset. You're back into Basic (a control-C or a control-B) and can then execute the necessary printout commands. Also, isn't Bob Bishop's new game called *Dung Beetles* rather than *Tumblebugs*?

Jordan Weinstein, Woodside, CA

Message received, Jordan. Nice work (if you can get it). And yes, it was called Dung Beetles. Evidently the name was not considered sufficiently, uh, marketable.

Hi-Res Multicolor

I own an Apple II Plus. It has been my impression that a shape table drawing is always drawn in the one current hi-res color, but I have begun to see some table shapes that are in two or more colors. How is this done?

Lyle VerPlanck, Costa Mesa, CA

You can create shape tables on the Apple that contain up to three colors, but there are some limitations. First, the color will be lost if the scale is larger than 1 or if rotation is anything but 0 (right side up) or 32 (upside down). Second, certain factors may conspire to change the color displayed.

There are two important principles behind color shapes. The first is that a shape table, when scale equals 1 and rot equals 0, is a set of instructions for the computer to plot individual dots in a distinct pattern. The second is that the Apple II displays colors when every other dot (horizontally) is on, black when all are off, and white when all are on. Thus, within a single shape, one area can be made green by plotting only on odd X coordinates, another area can be blue by plotting only on even X coordinates, and a third area can be white by plotting on all X coordinates.

Now about those conspiring factors. If with scale = 1, rot = 0, and hcolor = 3, you draw the shape at 140,80, it will come out as planned. If you draw it at 141,80, it will have its greens and blues switched. If you set hcolor = 7 (white2), the shape will have oranges and violets where its greens and blues were. In other words, you can have color in shape tables, but you have to be careful where and how you draw them.

Cracking the Egg

I need help. In *Zork I*, how do you get the egg open and finish the adventure? In *Zork II*, how do you get behind the menhir, or get through the door with the lizard head?

Derek Bosch, Williamsville, NY

Write to Zork User Group about their book of invisiclues for the first Zork; they're at Box 20923, Milwaukee, WI 53220.

And about getting through that door, remember: you can catch more flies with honey than you can with vinegar.

Riddle Me This

I would appreciate hearing from any *Wizardry* fans who have solved the riddle that is asked before the door at level six in *Knight* of *Diamonds*.

Ρ

S

E

D. K. Ullman, Santa Ana, CA

E

Т

M

B

E

R

Savory Smail a la Modem

It was just a few weeks ago that I first saw a copy of Softline, dedicated to one of my sore weaknesses in life: computer games. One of the first articles I happened to turn to in Softline was "Modem Gamesmanship" by Roe R. Adams III, which describes, among other things, the Post Games bulletin board service on the Source. Lo and behold, the first notice listed is from one TCP072. Well, you guessed it, that's me!

Just to follow up on Mr. Adams's article, after I posted that notice about Mystery House I received about a dozen replies by Smail (nickname for the electronic mail service available to all Source subscribers) offering all manner of hints, answers, and advice. An interesting sidelight to this is the fact that after the article in Softline, I now receive Smail letters every week. They say, "Gee, I saw you in Softline. I'm in the same situation! Can you give me a hand?" I am more than happy to respond. In fact, I'd love to talk to anyone about Mystery House, or Apple Adventure, or any other game I've played. My current passion, by the way, is Wizardry.

Steve Pisk, New Britain, CT

Incontrovertibly Atari

I enjoyed *Journey to the Planet Pincus* in the May Softline. I thought you might be interested in how I converted this program to Atari Basic.

Line 15: GRAPHICS 0: REM CLEAR THE SCREEN

Line 35: Change A\$(12) to D\$(1). String arrays are not used in this version, and D\$ must be dimensioned.

Lines 50-65: Delete these lines.

Line 80: Read N, S, E, W, D, U

Atari Basic does not read arrays out of data statements directly. Line 82: N(A)=N:S(A)=S:E(A)=E:W(A)=W:D(A)=D:U(A)=ULine 240: On R gosub 2010, 2020, 2030, 2040, 2050, 2060, 2070,

2080, 2090, 2100, 2110, 2120

These are the room description subroutines.

Line 245: ?: ? "Direction)";: input D\$:?

Lines 250-360: Change left\$(D\$,1) to D\$.

Lines 2010-2120: Change *data* to ? and place return at the end of each message. Some messages will have to be placed on more than one line.

Stuart Pierce, Picayune, MS

Message from Middle Earth

Regarding the book Ken Rose cited in May *Softline*, entitled *From Here to There and Back Again*, I would like to be the one to tell you that it is not Frodo's book at all, but his Uncle Bilbo's. If other Tolkien fans see this I am sure that more letters will be forthcoming.

James Brown, Chicago, IL

Authoritative Relations

I refer to a letter written by Geoffrey Puterbaugh of Sunnyvale, California, "Copyrights and Wrongs" [May 1982], more particularly to the last paragraph which mentions *Wizardry*, published by Sirtech. The following should be of interest to your readers, including Mr. Puterbaugh.

Wizardry was designed and coauthored with Mr. Woodhead by Mr. Andrew Greenberg. Mr. Greenberg has contributed to fantasy role-playing on Plato and in other previous fantasy role-playing games, *Moria* being one of the descendents. Mr. Woodhead is the author of a fantasy role-playing game on that system named *Sorcery*, now more than five years old. The original prototype of *Wizardry* preceded the appearance of *Moria* by a number of months.

It is regrettable that Mr. Puterbaugh, while being interested in Mr. Woodhead's opinions, was not interested enough to ask and saw fit to pose the question in a form that verges on libel.

8

1

9

F. B. Sirotek, president, Sir-tech, Ogdensberg, NY

2

SL



WE'RE WRITING

At the rate we're going, we'll have these pages filled by 2083. And by 2084, people will be clamoring for the next Infocom creation.

We hate to disappoint our public. So we keep you waiting. Because while the software factories are cranking out arcade game after arcade game, pulpy adventure after trite fantasy, we're writing and rewriting, honing and perfecting. Before a single person enters one of Infocom's worlds, it must be crafted into a living, riveting, definitive experience. Judging from the public's reaction, it's worth the wait. For instance, *Creative Computing* welcomed DEADLINE[™] as "thoroughly engrossing and realistic," while a *Softalk* readers' poll recently voted ZORK[™] I and ZORK II the most popular adventures of 1981.

And now, for the moment, your wait is over. ZORK III, your final

step in the underground trilogy, and STARCROSS,[™] an exploration of a new dimension in science fiction, are ready for you. Look at them up there,

the little worlds of Infocom. As our universe expands, companions will come to help fill that vast expanse of white space. Till then, they'll continue to stand alone as the best of all possible worlds.



Infocom's worlds are available for Apple," Atari," IBM, TRS-80," Commodore, NEC, Osborne, CP/M," and DEC." Apple is a registered trademark of Apple Computer, Inc. Atari is a registered trademark of Atari, Inc. TRS-80 is a registered trademark of Tandy Corporation. CP/M is a registered trademark of Digital Research, Inc. DEC is a trademark of Digital Equipment Corporation.

Master of the Mite: Jim Nitchals

You already know Jim Nitchals, even if you don't know who he is.

He was that kid in school that teachers looked at and thought, "He could really be something if he'd only apply himself."

He's that superstar at the office who turned down a promotion so he could keep doing what he likes doing and what he's good at.

He's the basketball player who sets up the play and feeds the ball to the center who slams it.

If Nitchals had been in *The Empire Strikes Back*, he wouldn't have been Han Solo; he would have been Yoda—an unimposing character, yet the one closest to the Force. But that's the movies.

In real life, Nitchals is the force behind Cavalier Computer, in Del Mar, California.

For a guy whose extracurricular activities at Torrey Pines High School were the science fiction and chess clubs and who loathed schoolwork so much that he took a proficiency examination to finish early ("I never received my diploma, but I did get a certificate that said I was proficient"), Jim Nitchals isn't doing too badly.

Now twenty years old, Nitchals has programmed five games for the Apple, four of which spent a total of nine months in *Softalk's* Top Thirty. The fifth, *Ring Raiders*, was offered free by mail during December 1981 and found more than three thousand takers.

His company, the publisher of such Apple winners as *Bug At*tack and *Microwave*, is raking in close to two hundred thousand dollars a year, and hopes to surpass that very soon.

Nitchals and his fellow programmers at Cavalier have standardized T-shirts and shorts as the official programmers' uniform—appropriate for the southern California company. Business execs who earn what Nitchals makes can't boast that luxury.

And what of Nitchals's peers in high school who shunned and ostracized him as a computer junkie? While they're struggling to get the necessary prerequisites for their college majors and agonizing over final examinations, Nitchals's biggest task is deciding whether to design a game for keyboard or paddles.

Beginning on Brand X. Strangely enough, a Radio Shack electronics kit was Nitchals's first experience with technology. At thir-

6

by MATTHEW T. YUEN

teen he began creating circuits for small electronic devices, one of which was a short-wave receiver. Fiddling with these steered his interest to ham radio. It was through catalogs and circulars from the electronics store that Nitchals began hearing about microprocessors.

Working with a friend from his math class, Nitchals started designing computers and programs of his own. By the tenth grade, he'd landed a job doing the same sort of work at a Del Mar research and development firm.

Later that summer, he went to work for Micro Works, a producer of digital television cameras for the Apple. At that time, Micro Works didn't know a whole lot about the Apple and neither did Nitchals. But this didn't pose a great problem; his first hi-res program was an Apple first, too: the first program written for the Apple that scanned a television screen and produced a video image printout. Nitchals claims to be the first person ever to have a self-portrait taken by an Apple.

While other kids were at practice for after-school sports, Nitchals was at practice with the Apple at his local computer store, which was anything but local. "I wasn't able to drive yet, so I had to take the bus fifteen miles into San Diego," Nitchals recalls. There he began experimenting with the computer, getting in some hands-on experience and even helping out customers once in a while.

Now, you'd assume that someone so adept at and interested in electronic technology was probably a lot like those brainy kids you knew in high school. They came in two types: those who studied all the time and did nothing but hit the books, and those natural Univacs who never applied themselves and still landed in the high end of the grade curve. Nitchals was neither one.

"I had heard that some people actually were hitting the books, but I found that fifteen minutes a day would do it. The problem was that I didn't want to spend even that much time," he explains. "I took two years of physics and hadn't received even a semester's worth of credit. The class was 'go at your own pace,' and for methat meant 'go nowhere.' " And yet that's when Nitchals started to go somewhere.

F

Photo by Tom Martin

Learning Business Administration 101 in Physics 2. It was in that class that Nitchals met Rick Moore and Barry Printz, cofounders with Nitchals of Cavalier. "I wanted to build some interface cards for the Apple. When I mentioned the idea to them, Rick told me he had an Apple II, and Barry had the backing to handle the business end," says Nitchals. "We first thought to call the company 'Three Musketeers,' and from that came 'Cavalier.' "

Nitchals's first work for Cavalier came as a part-time endeavor. In the summer of 1980, he picked up a consulting job and designed an interface card for the IBM Selectric, a card that is still selling today. Using Moore's Apple, Nitchals was writing *Asteroid Field* on the side. "We were all fans of the *Asteroids* arcade game," Nitchals says, "and we weren't sure if we could handle designing hardware. So the most obvious thing to do was to write the game for the Apple.

"At the time, I had never seen a hi-res game on the Apple, and I felt confident I could produce something better than the games that were selling." Nitchals was right. On November 16, 1980, he took *Asteroid Field* to a user group meeting and sold fifteen copies on the spot.

When Nitchals's second game, *Star Thief*, came out, the objective for the company was for all to make some money and then go their separate ways. However, Printz started seeing the pot at the end of the rainbow and convinced Nitchals there was no point in stopping there.

There is no doubt, with bestsellers like *Star Thief, Bug Attack,* and Nitchals's latest, *Microwave*, that Cavalier Computer is doing well financially. But that doesn't necessarily make Nitchals a rich man. "I take only as much as I need to keep up a modest lifestyle. That includes paying rent, driving a beat-up '76 Chevette, and supporting my eating-out habits." Nitchals doesn't like to cook and neither does his sister, with whom he shares his home. "That means I eat out quite often."

Born to Program. Nitchals's involvement in the administrative aspects of Cavalier is now almost nonexistent, and that's fine with him. He'd rather program and help teach others how to program, though he admits that he's not really emotionally suited to being a teacher. "Sometimes I have to yell it into them."

The rewards Nitchals receives for being a mentor are more intrinsic than financial. Despite the strain on his patience, it gives him a chance to see others in the same position he was in a few years ago, learning the same things he was learning, only with a little more help. His working with programmers at Cavalier, Nitchals feels, makes their jobs a bit easier.

"I don't know of many other companies where aid is available at all times for programmers. Of course, there are exceptions. Ken Williams and Doug Carlston are great; though their main occupation is business, they can still take time with the programmers. My main occupation is programming, so I try to spend as much time with Jay [Zimmerman] and Mike [Abbott] as I can."

Nitchals sees himself becoming even less involved in the business administration aspect of Cavalier as time goes on. Though he already has a grasp of what makes a business work, he'd rather write a program to add up a column of numbers than add them up himself.

Nitchals claims not to have the personality for business and negotiations, but he does have a very definite personality that makes itself apparent through his games.

While other game writers were developing ways for us to shoot aliens and enemy spaceships, Nitchals's *Bug Attack* had us shooting at ants, butterflies, and millipedes while being serenaded by an old campfire song, "The ants go marching two by two, hurrah, hurrah...."

In Microwave, the music Nitchals chose to accompany the maze game included the theme from the Star Wars cantina and a chase tune from Keystone Cops flicks. In this game, which Nitchals cowrote with Zimmerman, the hero is not a warrior, he doesn't fly a spaceship, and his mission is not to kill things to score points. He is Teddy the Salvageman, a teddy bear in overalls. His only weapon is used for defense, and his mission is to go around picking up calcu-

S

F

lators, hammers, and other assorted objects in order to repair his spaceship.

"We were all at Jay's house one night working on shapes and characters for *Microwave*, and the teddy bear was the cutest looking shape at the time, so we just stuffed him in there, and it worked and looked good," explains Nitchals.

For a programmer who chooses things because they're cute, it comes as little surprise that one of Nitchals's favorite games is *Sneakers*, for the sound effects when bonus points are awarded, its variety of characters, and its general pleasantness. "With those little smily faces on the sneakers, it has a bright, colorful, cheerful way about it."

Is There Life after Twenty? Nitchals is young even by programmers' standards. His high school classmates are trying to devise ways of becoming millionaires by the time they're thirty. Nitchals wants to make it by twenty-five. "If I can't find it in programming games, I'll find something else that's more profitable," he projects. "But it has to be fun. Right now it's just for fun, and I want to keep it that way."

What does a twenty-year-old game programmer who's the center of a successful company do in his spare time? No, it's not pushing big bucks into high-style entertainment and fast living but, rather, pushing quarters into his favorite video arcade machines: *Ms. Pac-Man, Tempest,* and *Tron,* a game for which he held the high score in the San Diego area.

If he's not in the arcades, you might find him engaging in other favorite pastimes: riding the bumper boats at the local miniature golf park or at home listening to the Police, Styx, Elton John, Heart, or the Electric Light Orchestra.

Nitchals is a simple person with not much to distinguish him from the next person his age—except for his considerable accomplishments at Cavalier. A person who is as softspoken as his games are entertaining, he enjoys what he's doing and sees no reason to change.



2

PTEMBER 198

SNAVE





ScreenWriter II 84.95
1st Class Mail59.95
DB Master 154.95
Time Zone 69.95
Wizardry
Hi-Res Golf 18.95
Lisa 2.5
Locksmith 4.174.95
(Back-up your valuable software)

SAVE up to 50% off

SNAVE HAS IT ALL:

- 1. Fast Service
- 2. Lowest Prices
- 3. Best Selection

The SNAVE Guarantee: If you find any lower prices (GOOD LUCK!) we guarantee to try our best to beat them. Just ask.

Need a 2nd Drive? Micro Sci A2

- 100% Apple Compatible
- Fast-Reliable Operation
- Easy on the wallet

39.95	
49.95	
39.95	
495.00	
129.95	
200.00	
34.95	
39.95	
150.00	
39.95	
295.00	
64.95	
29.95	
	39.95 495.00 129.95 200.00 34.95 39.95 150.00 39.95 295.00 64.95

Memorex Disks (box of 10) only \$19.95 (min. 2 boxes)

The ProWriter Printer

- 120 Characters per second
- Tractor and Friction Standard
- A Great Printer
- If you don't have one, it's time to get one.

\$494

Interface w/cable \$119

GAMES, Etc.

	Price	
Audex	29.95	21.95
Bag of Tricks	39.95	29.95
Bandits	34.95	24.95
	29.95	21.95
Borg		
Bug Attack	29.95	21.95
Castle Wolfenstein	29.95	21.95
Choplifter	34.95	24.95
Crossfire	29.95	21.95
Cyborg	32.95	24.95
David's Midnight Magic	34.95	26.95
Deadline	49.95	35.95
Frogger	34.95	24.95
Gorgon	39.95	29.95
Grand Prix	29.95	19.95
Hi-Res Secrets 1	25.00	82.95
Kabul Sov	34.95	26.95
Kabul Spy Knight of Diamonds		
Night of Diamonds	34.95	24.95
Night Mission Pinball	29.95	22.95
Oo-Topos	32.95	24.95
Pool 1.5	34.95	25.95
Raster Blaster	29.95	21.95
Robot War	39.95	29.95
Sargon II	34.95	24.95
Snack Attack	29.95	21.95
Super Taxman II w/Gizmo	26.00	19.95
Swashbuckler	34.95	24.95
Threshold	39.95	29.95
Ultima	39.95	29.95
Ultima II	59.95	44.95
Ulysses	34.95	25.95
Wayout (in 3-D)	39.95	29.95
Wizard and the Princess	32.95	23.95
Zoom Graphix	39.95	29.95
Zork I or II	39.95	29.95

Retail Snave's

BUSINESS

DB Master Utility Pak 1	99.00	72.95
DB Master Utility Pak 2	99.00	72.95
dBase II (reg. softcard)	700.00	489.00
Magic Window	99.95	71.95
Personal Filing System	125.00	89.95
PFS: Report	95.00	71.50
The Dictionary	99.95	71.95
The General Manager	99.95	71.95
Visicalc 3.3 (special)	250.00	179.95
Visifile	250.00	184.95
Visiplot	200.00	147.95

EDUCATION

Crossword Magic	49.95	23.95
Lisa Educational Pkg	119.95	89.95
Meet the Presidents	39.95	29.95
MasterType	39.95	29.95
Word Scrambler-Super		
Speller		CALL

MISCELLANEOUS

Adam & Eve Paddles	39.95	27.95			
A2D Joystick	44.95	36.95			
Apple Cat II	389.00	327.00			
Joyport	74.95	59.95			
	379.00	264.95			
	395.00	289.95			
System Saver	89.95	74.95			
TG Joystick	59.95	44.95			
TG Paddles	39.95	27.95			
TG Select-A-Port	59.95	44.95			
	345.00	239.95			
13 Key Pad	125.00	104.95			
AND 1000's MORE, JUST ASK!					

SNAVE SYSTEMS Post Office Box 957 Niles, Illinios 60648 (312) 966-4505



24.95 24.95 31.95

21.95 27.95

21.95

89 95

19.50

We accept VISA and MASTERCARD. (Include card # and expiration date) Money Order, Certified Check, Personal Check (allow 10 days clearance) Add Only \$2 for UPS delivery, (hardware and foreign extra) Illinois residents add 6% sales tax (except on software) Prices subject to change.

Open 7 days a week.

Pac-Man Champ: Ready on the Set


At fifteen, Matthew Laborteaux already has significant accomplishments to be proud of. He plays Albert Ingalls on "Little House on the Prairie," and, with a score of 1,200,000, he's the national *Pac-Man* champion.

He took the title April 25 in a warehouse in Santa Monica stocked with *Pac-Man* machines provided by the tournament's sponsor, *People* magazine. Last October, he placed tenth in the Centipede playoffs at the Atari world championships in Chicago.

Laborteaux did not attain his current level of expertise overnight. He started with the early *Pong* games and got a video cartridge system when they were first introduced; but he found the games insufficiently challenging. Wandering back to the arcades, he witnessed the birth of *Space Invaders* and *Asteroids*, but he wasn't really hooked until *Missile Command*.

"It's probably my best game. I enjoy it—that type of action—a bit more than *Pac-Man*," Laborteaux says. But the maze game, in its current and most bizarre form, is still close to his heart: "My favorite right now is *Dig Dug*. I tried to get into *Zaxxon*, but it was just too hard."

And that's a problem. "Once you've got the patterns down, a game is easy. Then they come out with harder games and it takes longer than the standard two minutes of playing time even to fig-




ure out how to play. You have to keep plugging in quarters just to see what the game is."

Like many arcade fans with a finite supply of quarters but higher standards for graphics and animation than home game machines can deliver, Laborteaux is gravitating toward a personal computer. He has taken a course in the Apple II, and, due to his ongoing success with Atari's products, he's considering the purchase of an Atari 800.

In the meantime he has his own personal *Pac-Man* arcade machine—the spoils of victory—and a plaque commemorating his feat.

And he has time to get in shape to meet the inevitable challengers who'll want to see just how fast he really is.



The Amazing Maze in

by BRIAN FITZGERALD

It's a bright and sunny day. You're walking along the street to the store when suddenly a giant pit opens up under your feet, and you tumble head over heels two thousand feet down into the ground, splashing into a vast subterranean lake. Coughing and gasping, you fight your way to the surface and swim frantically for the shore of an island that's less than a hundred feet from you. You're more than halfway there when a giant water snake bursts through the surface and grabs you....

Sound familiar? Let's hope not; it's made up. But that's beside the point, said point being overhype, or overdramatization. Much of what goes on in game software is overpublicized, overrated, or overcriticized. Credit where credit is due, yes; but there is a shady area where the ignorance of the public blends in with the natural wish of an author for recognition, and this puts an aura of mystique around things that don't quite deserve it; people then say, "Wow, that's neat, but I could never do that."

Not so. And we'll show you one case, if you'll follow along quietly so as not to disturb Gadanya, jealous keeper of the crypt of algorithms.

You're Moving through Another Dimension. We live in a threedimensional world (well, perhaps more, but that's clouding the picture). Yet merely by closing one eye, we can erase the usual third dimension, forcing ourselves to infer it from contrast and shading and perspective, a task most of us perform fairly well. The ephemeral nature of our depth perception, joined with our historic desire to represent three dimensions where there are only two—in paintings, architectural drawings, horror movies, and Viewmaster slides—has made us masters of illusion. As we advance in the field of computer graphics, it's not surprising that we should quickly take on the challenge to create three dimensions on the computer.

How? We can take a couple of the tricks that artists have learned during the last few hundred years, apply them, and see what we get. Let's try shading, contrast, and perspective. Now let's pick something to put them in. Something that's popular and nifty. Something that's not too hard, because we're all a bit lazy. Something like a 3-D maze plotter. Yeah, that sounds good.

Well, let's set some limits because, after all, we have a limited medium to work with. The maze (underground dungeon, house, whatever) will be composed of right-angle tunnels all of the same size, and made of a boringly perfect substance. The only remarkable feature for now will be doors, sans doorknobs (well, you know how easily they break off; besides, the original planning estimate didn't include cost overruns, so the Kobolds left the extras out). And we'll do no shading or other fancy things like that that eat up time and memory.


The basic idea is one of perspective; the farther away something is, the smaller it looks. Eventually, we reach a vanishing point, where objects that stretch out far enough converge to a point as we see it; for an example, we'll look at a corridor. Observe the illuminating figure 1. The picture is that of two parallel rows of blocks dwindling off into the distance; note that the point at which they converge is still within the picture frame. It's possible for the vanishing point to be out of the picture or for there to be more than one vanishing point, but, again, let's not get too complicated right away, okay?

Let's get down to juggling a few electrons along silicon-metal pathways. Objects right in front are full size; something very far away is, for all practical purposes, no size at all; and in between those two extremes an object's size is inversely proportional to its distance from the front. Let's do more simplifying, keeping in mind that computers prefer things to go in multiples of two. If the object is halfway to the vanishing point, it'll be half size. Three-fourths of the way there, and it'll be one-quarter its beginning size. Seveneighths of the way there, it'll be one-eighth normal size. And so on. This gives us our first bit of concrete math:

(shrinking factor) = 1 – (distance to vanishing point /distance to the front)

F

OFTIIN



The Root of the Corridor Cubed. Now we need to draw some more pictures and see if we can derive some plotting equations from them. Let's make things even easier. Our corridors will be in cube segments, say eight by eight by eight feet (ten foot cubes are so pedestrian, don't you think?); this gives us an easy angle on the perspective and proportion.

Look at figure 2 and pretend that you see a corridor stretching off into the distance. The vertical lines are there to help you pretend; each one marks off one of those eight by eight by eight foot cubes, and each wall panel is eight by eight feet. Now type this Applesoft quickie into the Apple and run it:

- 10 HGR : HCOLOR= 1
- 20 X1 = 41 : X2 = 169 : Y1 = 15: Y2 = 143 : CX = 105 : CY = 79
- 30 HPLOT X1,Y1 TO X2,Y1 TO X1,Y2 TO X2,Y2 TO X1,Y1
- 40 HPLOT X1,Y1 TO X1,Y2 : HPLOT X2,Y1 TO X2,Y2
- 50 X1 = (X1 + CX)/2: X2 = (X2 + CX)/2: Y1 = (Y1 + CY)/2:
- $Y_2 = (Y_2 + CY)/2$
- 60 GOTO 40

Amazing, isn't it? All right, you're only slightly impressed, but we've taken a small step on the way and introduced even more simplifications. The vanishing point is in the center of the screen; thus, all the lines that vanish to the center are forty-five degree lines, and that simplifies our math tremendously.

Now, what math have we done so far? We have a center, and we have left and right wall panels that converge toward it. Each panel is half the size of the one before it, and each panel stretches halfway to the center. Look at figure 3 as we introduce some more math.

X1,Y1 through X4,Y4 form the outer boundaries of the two panels, left and right, and X5,Y5 through X8,Y8 form the inner boundaries; CX,CY is the center vanishing point. Drawing the left right panels is easy enough.

Left panel:

HPLOT X1,Y1 TO X5,Y5 TO X8,Y8 TO X4,Y4 TO X1,Y1 Right panel:

HPLOT X2,Y2 TO X6,Y6 TO X7,Y7 TO X3,Y3 TO X2,Y2

But what about the next set of panels? And the next, and so on? And where do all the variables come from?

Y Not? X1,Y1 to X4,Y4 are predefined; we have to start somewhere. They form the outer window within which everything is drawn. And (listen!!) X5,Y5 to X8,Y8 are calculated from X1,Y1 – X4,Y4 and CX,CY. How? Easy. If each panel goes half the remaining distance to the center, then, for example, X5 is:

X5 = X1 + (CX - X1)/2 = (X1 + CX)/2

where (CX - X1) is the distance from X1 to CX. We divide that by two, and add it to X1 to find X5, and, presto chango, we've got it. The others come similarly:

 $\begin{array}{rcl} Y5 &=& Y1 + (CY - Y1)/2 &=& (Y1 + CY)/2 \\ X6 &=& X2 - (X2 - CX)/2 &=& (X2 + CX)/2 \\ X6 &=& Y2 + (CY - Y2)/2 &=& (Y2 + CY)/2 \\ X7 &=& X3 - (X3 - CX)/2 &=& (X3 + CX)/2 \\ Y7 &=& Y3 - (Y3 - CY)/2 &=& (Y3 + CY)/2 \\ X8 &=& X4 + (CX - X4)/2 &=& (X4 + CX)/2 \\ Y8 &=& Y4 - (Y4 - CY)/2 &=& (Y4 + CY)/2 \end{array}$

S

E

To interject a note from an efficiency-minded world, X1 and X4 are the same, X2 and X3 the same, Y1 and Y2 the same, and Y3 and Y4 are also the same. It's just easier to use them all when thinking about this. So X5 and X8, X6 and X7, Y5 and Y6, and Y7 and Y8 are also


Ρ

E

В

E

R



going to be the same. If you're still here, we actually only need to calculate X5, X6, Y5, and Y7 and get the others from them:

X8 = X5 : X7 = X6 : Y6 = Y5 : Y8 = Y7

"Now, Thumper, what did your father say?" "Which one? Oh, yeah; waste not, want not." So, once we've drawn the first set of panels, we can recycle the variables for the next set of panels, thusly:

X1 = X5 : Y1 = Y5 : X2 = X6 : Y2 = Y6X3 = X7 : Y3 = Y7 : X4 = X8 : Y4 = Y8

 $\lambda_{3} = \lambda_{7}$, $\lambda_{3} = 17$, $\lambda_{4} = \lambda_{0}$, $\lambda_{4} = 10$

and then recalculate a new set of X5,Y5 ... X8,Y8 and keep on going.

Easy? Easy. Well, what if a panel is missing? (Call the police.) For one, we don't draw it. But that just leaves a hole, and to complete the picture we should draw what's behind the missing panel. To make things easy on us (again), we'll just draw the forward wall of the next cube over, if there is a forward wall. So look at figure 4, and we'll discuss drawing those left and right forward walls.

Start with the left missing panel and the front wall behind it (a front or forward facing wall is one that is staring us full in the face, not slanted to one side or t'other). We draw it like this:

HPLOT X1,Y5 TO X5,Y5 TO X8,Y8 TO X1,Y8

And the one on the right side will be drawn as:

HPLOT X2, Y6 TO X6, Y6 TO X7, Y7 TO X2, Y7

Wasn't that fun? You in the front, say yes. Now let's do some interesting things. Corridors sometimes end, don't they? And doors are usually convenient things, so we should add those. First, let's have that corridor end. Look back to figure 4. The corridor ended; oh no, what do we do? Square it off, of course. That would be after an iteration of left-right panel drawing, so the end would be:

HPLOT X5, Y5 TO X6, Y6 TO X7, Y7 TO X8, Y8 TO X5, Y5

Got it? Good. If you don't have it, we're all in trouble. That's quite enough of that.

Getting Around. Now for the doors (the Beatles come later). Ah, doors, those perhaps magical portals to other places and times (yeah, five seconds later on the other side of the silly door). Please to refer to figure 5.

We have three kinds of doors to draw: doors on a side panel, doors on a front facing wall, and a door at the end of a corridor. The last shall be first, because it's the easiest. So how should it go? A door is going to have some margin between the left and right sides of the wall it's on and some margin from the top of the wall to the top of the door. Let us give some assignments. YV is the margin from the top of the wall to the top of the door, and XV is the margin from the left side of the wall to the left side of the door and also the margin from the right side of the wall to the right side of the door. Observe figure 5a for enlightenment.

8

1

9

2

The equation for that door is:

HPLOT X5 + XV,Y8 TO X5 + XV,Y5 + YV TO X6 - XV,Y5 + YV TO X6 - XV,Y7

And so on we trek to the next door, one on a front facing wall, and you should cast an inquiring eye on figure 5b. Since we only see half of the wall, we're only going to see half of the door, and the two plots look like so:

Left door:


HPLOT X8 - XV,Y8 TO X5 - XV,Y5 + YV TO X1,Y5 + YV Right door:

HPLOT X7 + XV,Y7 TO X7 + XV,Y6 +YV TO X2,Y6 + YV

Not too terribly complicated, is it? You'd better say no, because this next part *is* a little complicated—but fun.

Look at figure 5c. Don't wince; look at it. Scary, isn't it? It needn't be; and we'll endeavor to make this at least painless.

First, let's pull a fact out of the air. In a right triangle with an acute angle of forty-five degrees, the two sides next to the right angle are of equal length, so if you know the length of one side, you then



possess the terrible secret of the length of the other side. Now, notice that in figure 5c four right triangles are pointed out; since all the lines form angles of forty-five degrees, we have most of the knowledge needed to draw the door encoded in the picture. Let's dig it out.

The lower left-hand coordinates of the door are X4 + XV,Y4 - XV. That's simple enough. The upper left-hand coordinates are X1 - XV,Y1 + YV + XV. Check to make sure you understand that. Now, the upper right-hand side of the door is X5 - XV,Y5 + YV - XV, because we add the YV but have to back up by the amount XV up the Y axis. And, finally, the lower right-hand side is X8 - XV,Y8 + XV. String it all together and we get:

Left door (side panel):

HPLOT X4 + XV,Y4 - XV TO X1 + XV,Y1 + YV + XV TO X5 -XV,Y5 + YV - XV TO X8 - XV,Y8 + XV

The right door is similarly (tortuously):

Right door (side panel):

HPLOT X3 - XV,Y3 - XV TO X2 - XV,Y2 +YV + XV TO X6 + XV,Y6 + YV - XV TO X7 + XV,Y7 +XV

And there we have it, all the math we get for now.

Get Back in Your Cell. Therefore, on to the program! But, before that, we have to mention something nasty, so close your ears, data structures.

A maze plotter is actually pretty useless without a maze to plot (but it looks so elegant and pretty!), so we need a way of representing a maze in the machine. Again, let's be easy and make the maze in those chunks. Then we can turn the maze into a matrix, and each cell of the matrix will have a number describing how that eight by eight by eight foot cube looks; where the walls are, and where the doors are. So we have a matrix, A%(100,100), say. It's pretty large, and it's full of integer numbers. Each number has five parts: one for each of the four directions, north, east, south, and west, and a special number, which we'll put off until later. Now, delving a bit into machine language origins, an integer number is sixteen bits long. So we give each of the directions three bits, and the special number gets four bits. If this all seems meaningless, be patient, because now we'll come back to reality.

This means that a cell edge can be one of eight things. Right now, there are three. They are:

0 wall

1 empty space

2 door

To put a cell number together, do this:

cell # = (special)*4096 + (north type)*512 + (east type)*64 + (south type)*8 + (west type)

For example, the cell number for a cell with a wall to the north, doors to the east and west, and space to the south would be:

cell # = (0 * 4096) + (0 * 512) + (2 * 64) + (1 * 8) + 2 = 138. The program, of course, has to be able to reverse this, and there's a subroutine at 1600 that does this; XX,YY is the address of the cell you wish to explode into full form. A discussion of that is for later, also.

So, here at last is the program, and nothing can stop it! Cast an eye on the listing, and read along.

Lines 10 through 80 set up few global variables needed and set up the maze in the matrix A%(100,100). D is the direction you face in the maze: 1 = north, 2 = east, 3 = south, 4 = west. XC,YC are the coordinates of the cell you're standing in. RR is the depth the corridor (or room or whatever) is drawn to; it's impractical actually to try to draw to infinity.

Lines 90 through 130 print the direction you're facing, and the cell you're in. Simple enough. Then line 140 sets up the depth counter and calls the actual maze plotter subroutine.


Lines 190 through 260 ask which direction you'd like to move, and then branch to a likely area to move or turn you, as the case may be. The keys used are:< - (turn left), - > (turn right), +; (move forward one step), and ?/ (move backward one step).

Lines 270 through 400 are the bits of code that change the direction and/or XY coordinates; simple enough. Lines 410 through 430 are a teleport (why not?); push T.

E

L

I



Lines 1000 through 1840 are the maze plotter and ancillary subroutines. But hold it; there's one last thing, and, really, only one, that we need to discuss. The burning topic that couldn't be held back any longer is: peripheral vision. "Oh," you say, "but how does that ...?" Stop! Don't commit yourself. Just read this.

We can plot ahead of us, and to either side of that, but what of the cell we're standing in? Do we cop out and say, "Well, I'm standing on the very frontmost edge of the cell I'm in, and consequently can't see anything of it?" No. No. NO! Let's be a bit more classy, and draw just a bit of the cell we're in, tacking that on to the outside of the window that everything else is in. Look at figures 6a and 6b, and decide which you like better. But pick 6b anyway, okay? Good.

This creates a bit of a problem, because the first bit is a special case and needs special treatment in spots. So we'll explain all that as it comes up.

a a construction and a second	
1000	clear the hi-res screen and set color to green
1010-1020	set up special case coordinates for peripheral vision cell
1030-1040	set up normal outer window coordinates
1050 1040	define the center coordinates
1050	set up special case XV and YV
1000	get starting cell coordinates
10/0	skip recalculating of X5,Y5 X8,Y8 the first time
1000	around
1090-1130	calculate X5,Y5 X8,Y8 and XV,YV
1140-1150	get left wall number; if space, goto left wall extend
1160	if not door, then skip door plot
1170	if not first cell (peripheral) then skip special case
1180	plot peripheral left panel door and skip to 1200
1190	plot left panel door
1200-1220	plot left panel wall and goto right side plot
1230	get cell to the left of current cell; if no front-facing
	wall, skip to right side plot
1240	if no door, then skip door plot
1241	if not peripheral cell, then skip special case
1242-1243	plot peripheral left-facing door and skip to 1260
1250	plot left front-facing door
1260	plot left front-facing wall
1270-1390	repeat the same thing, but for the right side instead
1400-1410	reset X1,Y1 X4,Y4 to start of next panels
1420-1430	if the cell just plotted has a forward wall, then goto
	1500 to finish off the plot
1440-1470	otherwise, get the address of the next cell in the
	direction D
1480	if depth counter has reached zero, then end
1490	otherwise, go back to 1090, recalculate X5,Y5
	X8,Y8 and keep going
1500	square off the end of the corridor
1510	if no door then skip door plot
1520	get appropriate XV and YV
1530	make the door
1540	return from maze plotter
1600-1700	expand the cell at XX,YY to the four directions and special number
1800-1840	get address of cell in direction P from the cell at X,Y
3000-3190	set up the maze in matrix A%(100,100)
5500 5150	

Wasn't that just ever so? So type it in, or get some other hapless

S

E

F

E

R

B

Μ

wight to do that for you, and run it. No! What's a *fir* . . . *next* loop? Got it fixed? Good.

After you've run the program a bit, you may begin to think that it's not quite all perfect, and you'd be perfectly justified in thinking that (nasty of you, but justified). What's wrong with it? Well, for one, we're drawing a very narrow picture, one that extends straight out in front of us and just barely to the right or left, and that gives funny results at times—anytime that we look into a space that's bigger than one cell. Also, it looks a bit barren, with only doors to ornament the long, lonely tunnels.

Will the open space problem be fixed? Will there ever be anything but doors in our maze? Will Conan, erstwhile King of Cimmeria, ever find his way into the maze? Will you ever get out? Will there be another part to this article to explain everything we've mentioned but put off until far too late? Only time can answer those questions.

This article is brought to you in part by the formation of the Earth, an event that led indirectly to my being here.

- 10 LOMEM: 16384
- 20 DIM A%(100,100)
- 30 HOME
- 40 VTAB 10: HTAB 6: PRINT "THE MOUNDS OF CTEIA"
- 50 REM ******** MAZE:3D-PLOTTER
- 60 GOSUB 3000
- 70 D = 2:XC = 1:YC = 1:RR = 5
- 80 SP = 0
- 90 HOME : VTAB 23: HTAB 35: IF D = 1 THEN PRINT "N";
- 100 IF D = 2 THEN PRINT "E"
- 110 IF D = 3 THEN PRINT "S"
- 120 IF D = 4 THEN PRINT "W"
- 130 VTAB 24: HTAB 20: PRINT XC;" ";YC;
- 140 R = RR: GOSUB 1000
- 190 VTAB 22: HTAB 1: PRINT "MOVE > ";



9

8

1

2

200 VTAB 22: HTAB 7: GET A\$ 210 IF A\$ = CHR\$ (8) THEN 270 220 IF A\$ = CHR\$ (21) THEN 290IF A\$ = ";" THEN 310 230 IF A\$ = "T" THEN 410 240 IF A\$ = "/" THEN 330 250 **GOTO 200** 260 270 D = D - 1: IF D = 0 THEN D = 4280 GOTO 90 290 D = D + 1: IF D = 5 THEN D = 1300 GOTO 90 XX = XC:YY = YC: GOSUB 1600: P = D: IF T(D) <> 0310 **THEN 350** 320 PRINT CHR\$ (7): GOTO 200 XX = XC:YY = YC: GOSUB 1600: P = D - 2: PRINT P:330 IF P < 1 THEN P = P + 4340 IF T(P) = 0 THEN 320 SP = 0350 360 IF P = 1 THEN YC = YC - 1 IF P = 2 THEN XC = XC + 1 370 IF P = 3 THEN YC = YC + 1 380 390 IF P = 4 THEN XC = XC - 1400 GOTO 90 HOME : VTAB 22: HTAB 1 410 420 INPUT "TELEPORT TO (X,Y) ";XC,YC 430 GOTO 90 1000 HGR : HCOLOR= 1 1010 X1 = 27:Y1 = 1:X2 = 183:Y2 = 1 $1020 \quad X3 = 183:Y3 = 157:X4 = 27:Y4 = 157$ 1030 X5 = 41:Y5 = 15:X6 = 169:Y6 = 151040 X7 = 169:Y7 = 143:X8 = 41:Y8 = 1431050 CX = 105:CY = 791060 XV = 2:YV = 181070 X = XC:Y = YC

1080	GOTO 1140
1090	X5 = (X1 + CX) / 2:X8 = X5
1100	X6 = (X2 + CX) / 2:X7 = X6
1110	Y5 = (Y1 + CY) / 2:Y6 = Y5
1120	Y7 = (Y3 + CY) / 2:Y8 = Y7
1130	XV = (X5 - X1) / 4: YV = (Y4 - Y1) / 8
1140	P = D - 1: IF $P = 0$ THEN $P = 4$
1150	XX = X:YY = Y: GOSUB 1600: IF T(P) = 1 THEN 1230
1160	IF T(P) = 0 THEN 1200
1170	IF R <> RR THEN 1190
1180	HPLOT 29,155 to 29,21 TO 27,19: GOTO 1200
1190	HPLOT $X4 + XV, Y4 - XV TO X1 + XV, Y1 + XV + YV TO$
	X5 - XV, $(Y5 + YV - XV)$ TO $X8 - XV$, $Y8 + XV$
1200	HPLOT X1,Y1 TO X5,Y5: HPLOT X4,Y4 TO X8,Y8
1210	HPLOT X5,Y5 TO X8,Y8: IF R <> RR THEN HPLOT
	X1,Y1 TO X4,Y4
1220	GOTO 1270
1230	GOSUB 1800:XX = XE:YY = YE: GOSUB 1600: IF T(D) = 1
	THEN 1270
1240	IF T(D) = 0 THEN 1260
1241	IF R <> RR THEN 1250
1242	HPLOT 29,143 TO 29,31 TO 27,31
1243	GOTO 1260
1250	HPLOT X5 - XV,Y8 TO X5 - XV,Y5 + XV TO X1,Y5 + XV
1260	HPLOT X1,Y5 TO X8,Y5 TO X8,Y8 TO X1,Y8
1270	P = D + 1: IF $P = 5$ THEN $P = 1$
1280	XX = X:YY = Y: GOSUB 1600: IF T(P) = 1 THEN 1360
1290	IF T(P) = 0 THEN 1330
1300	IF R <> RR THEN 1320
1310	HPLOT 181,155 TO 181,21 TO 183,19: GOTO 1330
1320	HPLOT X3 - XV,Y3 - XV TO X2 - XV,Y2 + XV + YV TO
	X6 + XV,Y5 + YV - XV TO X7 + XV,Y7 + XV
1330	HPLOT X2,Y2 TO X6,Y6: HPLOT X3,Y3 TO X7,Y7
	to page 26



Apple II or II Plus, disk 48K, DOS 3.2 or 3.3 • Requires APPLESOFT

S

О

F

Т

Survive the perils of the China Seas

An exciting new strategy-adventure game based on the China trade of the 1800's!

Sail between the seven ports of the China Seas and trade general cargo, arms, silk, and opium. Your goal is to make a million in cash. But first, you must...

- battle ferocious pirates
- survive the monstrous storms known as tai-funs
- face merciless thieving street toughs
- evade government officials who seize illegal cargo and impose heavy fines
- bargain with the notorious triad moneylender, Elder Brother Wu

Experience the' excitement of the China trade. See TAIPAN at your local computer games store.

Avalanche Productions, Inc. 2460 Embarcadero Way Palo Alto, California 94303 (415) 856-4881

Building Overwhelming Software

99999999999999999

I

E



Part 2: Random Composition and Musical Indirection

Music plays an important role in our lives. We encounter it at work and at play, traveling down the road—even the telephone hold button plays us music. It should come as no surprise, then, that when presented with a computer equipped with sound generators, the first question most people ask is, "Can it play music?"

Notes on the Atari. Creating musical notes with the Atari is pretty easy. A table of pitch values for the notes is provided in the Atari Basic manual and in the Technical User's Notes. To play middle C, we look it up in the table and find the value 121. Placing this in the audio frequency register of a given channel will produce a middle C, provided we're using the "pure tone" distortion parameter, 10. (Why this won't work with other tones is beyond the scope of this discussion; we'll deal with it at a later date.) If you're in Basic, the command:

SOUND 0,121,10,8 will do the job.

Playing chords is a simple matter of looking up each note in the chord and plugging the corresponding value into a different sound channel. With four channels, you can form many complex chords (Cm9, F#maj7, and so on) or stick to a melody line with simpler voicings. To give the music rhythmic structure, preprogrammed music can be stored in a data table with duration values; the program, in turn, uses the duration value as a counter in a delay loop before playing the next note.

Random Composition. Producing random music is a little harder. There is a wealth of pitch values that don't fit into the equally tempered scale; in fact, if we just load random data into the frequency registers, the chances are roughly seven out of eight that we'll get one of these in-between pitches. The resulting noise will drive any person mad in the space of a few minutes. The problem is compounded by the absence of any obvious correlation between the musical intervals and their numerical equivalents. A half step at the bottom of the Atari's range is thirteen; a half step at the top is two. No workable formula is going to translate from musical intervals to pitch values.

The obvious solution is to store only "correct" values into a table and then randomly select a pointer to retrieve one of those values. This works, but as a stand-alone composer it has all the musical validity of a gorilla bashing away at a Wurlitzer. The notes are equally tempered, yes, but only the most avant-garde would call it music. Music distinguishes itself from random noise by having a format, something for the mind to catch and interpret. Music written within a format becomes a mix of expectation and surprise, and the craft of the composer lies in the creative way these two elements are combined.

A common format found in music is that of "key." Though there are twelve notes between octaves, many combinations of these notes will be nonsonorous, or harsh, to the ear. Nonsonorities can be used effectively, but care must be taken to use them skillfully, much like a good cook uses his hottest spices: sparingly, and always with a reason. By limiting the possibilities of note combinations before us, scales help us organize the tones into more sonorous sequences, and thereby increase our control over what nonsonorities we choose to include.

One of the most used scales in Western music is the major scale. It follows the pattern (given in terms of "steps"; for example, C to

F

B

F

R

1

S

C# is a half step, C to D is a whole step):

1,1,1/2,1,1,1,1/2

Note that the pattern is not symmetrical, which will give the random composer fits in much the same way the nonpredictable pitch values did. The situation becomes really muddled if we want the composer to do something sexy like switch keys or correctly form and resolve common chords within the scale. Some sort of software device is needed to keep all these numbers organized.

Indirection. Atari owners should be familiar with the concept of indirection; the color registers are a method of indirectly specifying color. Rather than plotting the number of a color, the Atari plots the name of a color register that specifies the color. For example, putting a two into the screen display area does not mean display color 2, it means display whatever color is in color register 2. If color register 2 contains fifteen, then color 15 will be displayed. This is an extremely powerful graphics tool, for large amounts of previously plotted points can change color instantly with the movement of a single byte.

Indirection is an important concept because it lets us operate on data in terms of categories. We manipulate classes of data grouped together by their similarities, and in so doing we ignore the trivial individual characteristics found inside a class. To return to the color register example, we operate on data in terms of their similarity they are all specified by register 2—and ignore their individual characteristics, the X and Y coordinates of each point.

What does this have to do with random music composition? Indirection, by letting us operate on similarity, allows us to concentrate on function. The notes in a scale, the chords formed in the series, all have specific functions depending on their position in the key. If the random composer is to resolve tones correctly, it must recognize and manipulate notes according to their functions in the scale.

For example, a crucial tone in the scale is the leading tone, the last note in the scale. The leading tone has a strong compulsion to lead into the note above it, the tonic (the first note in the scale). When we follow the leading tone with the tonic, we say we have resolved the tone: we have provided it with a satisfactory conclusion.

In the key of C, the leading tone is B, which means it will have a strong compulsion to resolve to C. In the key of E, however, B is not the leading tone: it is the fifth tone in the E major scale, not the seventh, and has no compulsion to move at all. We have, then, two entirely different functions for the same note, depending on its relationship to the key.

If a random composer is going to produce music with any intelligence, it must recognize the note not according to pitch, which is actually a trivial characteristic, but according to its function in the key. This means we have to deal *indirectly* with the note; specify it according to its relationship, and let some other software mechanism take care of the trivial pitch specifications.

Pitching Tonic. In our sample program, notes are specified by their relationship to the current key. This number will run from zero to six, with seven being the tonic an octave higher. The number is then converted into an offset by reading data from the table at 1100–1107. These data statements convert the sequential note specifications into the correct interval pattern for a major scale.

Before playing a note, the program adds the offset thus obtained to *tonic*, which specifies the key. This number is the real number of the note to be played, and is converted to a pitch value

9

EAST COAST SOFTWARE

Apple Software

STOCK NUMBER	LIST	YOUR	
SS101A2-FSI Flight			
Simulator	33.50	27.00	
SS103Apple Panic	29.95	22.50	
SS106Beer Run	34.95	27.25	
SS107Bug Attack	29.95		
SS108Castle	67.75	22.00	
Wolfenstein	29.95	22.50	
SS109Copts and	27.70	1. L	
Robbers	34.95	27.25	
SS114Cranston Manor	34.95	27.25	
SS118 DB Master	229.95		
SS122Epoch	34.95	27.25	
SS125Falcons	29.95		
SS126Firebird	29.95	22.50	
SS129Gorgon	39.95	30.50	
SS132Graphics Package	59.95	47 00	
SS136Home Accountant	74.95	58.50	
SS137Home Money		00100	
Minder	34.95	27.25	
SS138Magic Window	99.95	75.00	
SS141Olympic			
Decathalon	29.95	22.50	
SS144PFS			
(Personal Filing System)	125.00	99.95	
SS146Pool 1.5	34.95	27.25	
SS148Raster Blaster	29.95	22.50	
SS149Robot War	39.95	30.50	
SS184Saturn Navigator	24.95	20.00	
SS152Snack Attack	29.95	22.50	
SS153Sneakers	29.95	22.50	
SS172Typing Tutor II	24.95	20.00	
SS175Visicalc 3.3			
(Special Sale)	250.00	180.00	
SS176Visidex	250.00	195.00	
SS177Visifile	250.00	195.00	
SS178Visiterm	150.00	120.00	
SS179 Visitrend/Visiplot	259.95	195.00	
SS181Wizardry	49.95	38.50	
SS185Zork II	39.95	30.50	

Toll Free Number Pending Meanwhile, Call COLLECT: 717-533-8125 EAST COAST

P.O. Box 138 Hershey, PA 17033

NO MINIMUM ORDER SHIPPING \$2.00 VISA-MASTERCARD-C.O.D.-CHECK



PRICES SUBJECT TO CHANGE

S

by reading the array *pitch*, then output to the sound generators. All this footwork enables us to specify notes in any key with the numbers zero through six. In our leading tone example, we would test for tone 6; if true, the note would be resolved to a 7, or alternatively, 0 (the same note an octave lower). This decision is made irrespective of the key being played.

The same idea is applied to the chordal accompaniment. Chords are specified by their roots' relationship to the key, and the following chord is dictated by the rules of resolution set up in the program. For instance, whenever a IV chord is played, there is a 50 percent chance that the key will be changed (lines 1490 through 1510). The new key selected will always be a fifth below the chord (line 1510; we add ten chromatic steps).

The Listing. Initialization is located at the end of the program, at lines 1400 through 2020. This was done to speed up execution of the main program loop at lines 100 through 890.

The pitch translation table is read into array pitch at line 1420. This line is skipped when initialization is reentered.

Lines 1450 through 1540 write a chord pattern for the piece based on the function of the chord in the previous measure. Add your own rules for resolving chords here.

Lines 1550 through 1590 create an eight-note pattern that is used to give structure to the melody. Lines 1600 through 2020 set up the graphics routine. This routine draws a line from a moving point to a stationary centerpoint in the upper left quarter of the screen, and then mirrors the pattern into the remaining quarters of the screen using the popular kaleidoscope algorithm. No claims to originality are made here, but the pattern produced is pleasing and is a good demonstration of the Atari's ability to maintain graphics and sound at the same time.

Lines 110 through 160 play the chord pattern. Note that the first three entries of the data table at 1100 through 1107 are borrowed to get the offsets from the root necessary to form the chord (the root, a third above, and a fifth above). This double use of the table occurs because the numbers are coincidentally the same.

Lines 170 through 380 play the melody. This melody, unlike the chord pattern, is not figured out ahead of time. Rules for tone resolution are in lines 190 through 340. If the rules don't apply, a random note is selected from the scale, with a 50 percent probability of actually being a note in the chord (line 300).

Lines 400 through 480 take care of moving the graphics points and drawing lines. Because this routine's execution time is a function of the length of the lines being drawn, it also is an interesting tempo control for the music: when the display gets busier, the music plays faster.

When thirty-two bars have been played, the screen is cleared, a new chord pattern is written, and the program repeats. While the chord pattern is being written, line 1450 plays the scale of the last key played to keep the transition smooth.

This program is really a jumping-off point for playing with music theory. The rules defined are the bare minimum necessary to make sonorous music. The more rules you add, the more intelligently the program will compose, and the less random the results will seem. More importantly, creative effort in the definition of a music system will pay off in an increased understanding of music, texture, and style.

In the next article, we'll take a look at the internal details of Atari's sound generators and find out why the pitch tables only work with distortion parameter 10.

- 10 REM ***** ****** 20 REM * AN AUDIO-VISUAL MEDITATION 30 REM * by Bill Williams REM ******** 40 50 DIM PITCH(36), PATTRN(31), TONIC(31), MOTIF(7) 60 FETCH=800 **REM CALL INITIALIZATION** 70 80 **GOSUB 1420** 90 **REM **MAIN PROGRAM LOOP****
- FTLINE

100	FOR BAR=0 TO 31
110	REM UPDATE CHORD
120	FOR VOICE=0 TO 2
130 140	RESTORE 1100+VOICE:READ OFFST OFFST=OFFST+PATTRN(BAR)
150	GOSUB FETCH:SOUND
160	VOICE,PITCH(TONIC(BAR)+FOUND),10,4 NEXT VOICE
170	REM NOW FOR THE MELODY
180	FOR BEAT=0 TO 3
190	IF MELODY <>11 THEN 220
200	IF RND(0)<0.7 THEN MELODY=12:GOTO 370
210	MELODY=0:GOTO 370
220	REM PLAY MOTIF?
230	IF THEMEF=0 OR RND(0)<0.1 THEN 270
240	THEMEP=THEMEP+1:IF THEMEP > 7 THEN THEMEP=0:THEMEF=0
250	OFFST=PATTRN(BAR)+MOTIF(THEMEP)
260	GOSUB FETCH: MELODY = FOUND: GOTO 370
270	REM START MOTIF?
280	IF RND(0)< 0.15 THEN THEMEF=1
290	IF MELODY=5 THEN MELODY=4:GOTO 370
300	IF RND(0)< 0.5 THEN 350
310	REM PICK NOTE IN CHORD
320	RESTORE 1100+INT(RND(0)*3)
330	READ OFFST:OFFST=OFFST+PATTRN(BAR)
340	GOSUB FETCH:MELODY=FOUND:GOTO 370
350	REM ANY RANDOM NOTE
360 370	RESTORE 1100+INT(RND(0)*6):READ MELODY REM **PLAY MELODY**
380	SOUND 3,PITCH(TONIC(BAR)+MELODY+12),10,6
390	REM ** GRAPHICS ROUTINE **
400	X=X+DX: IF X<0 THEN X=0: DX=-DX
410	IF X>159 THEN X=159:DX=-DX
420	Y=Y+DY:IF Y<0 THEN Y=95
430	IF Y>95 THEN Y=0
440	PLOT CX,CY:DRAWTO X,Y
450	PLOT 319-CX,CY:DRAWTO 319-X,Y
460	PLOT CX,191-CY:DRAWTO X,191-Y
470	PLOT 319-CX,191-CY:DRAWTO 319-X,191-Y
480	IF RND(0)<0.1 THEN
	CX = INT(RND(0)*160):CY = INT(RND(0)*96)
490	NEXT BEAT: NEXT BAR
500	GOSUB 1440:GOTO 100
800	REM FETCH SUBROUTINE
810 820	IF OFFST>6 THEN OFFST=OFFST-7 RESTORE 1100+OFFST:READ FOUND
830	RETURN
1000	REM PITCH VALUE TABLE
1010	DATA 243, 230,217,204,193,182,173,162,153,144,136,128,
	121,114,108,102,96,91,85,81,76,72
1020	DATA 68,64,60,57,53,50,47,45,42,40,37,35,33,31,29
1100	DATA 0
1101	DATA 2
1102	
1103	DATA 5
	DATA 7
1105	DATA 9
1106	DATA 11
1107	DATA 12
1400 1410	REM ** INITIALIZATION ** REM 1420 IS "COLDSTART"
1410	TONIC(31)=0:PATTRN(0)=0:FOR L=0 TO 36:READ
1420	A:PITCH(L) = A:NEXT L
1430	REM 1440 IS "WARMSTART"
1440	TONIC(0) = TONIC(31)
1450	FOR BAR=1 TO 31:RESTORE 1100+INT(BAR/4):READ
	A:SOUND 3,PITCH(A+TONIC(0)),10,4
1460	TONIC(BAR)=TONIC(BAR-1)

S

- 1470 IF PATTRN(BAR-1)=6 THEN PATTRN(BAR)=0:GOTO 1520
- 1480 IF PATTRN(BAR-1)=1 AND RND(0)<0.8 THEN PATTRN(BAR)=4:GOTO 1520
- 1490 IF PATTRN(BAR-1)<>3 OR RND(0)<0.5 THEN PATTRN(BAR)=INT(RND(0)*7):GOTO 1520
- 1500 REM CHANGE KEY
- 1510 PATTRN(BAR)=0:TONIC(BAR)=TONIC(BAR)+10:IF TONIC(BAR)>11 THEN TONIC(BAR)=TONIC(BAR)-12
- 1520 SOUND 3,PITCH(TONIC(0)+12),10,4
- 1530 IF PATTRN(BAR) >6 THEN
- PATTRN(BAR)=PATTRN(BAR)-7 1540 NEXT BAR
- 1550 REM SET UP MOTIF
- 1560 FOR L=0 TO 7
- 1570 IF RND(0)<0.7 THEN RESTORE 1100+INT(RND(0)*3):READ OFFST:MOTIF(L)=OFFST:GOTO 1590
- 1580 MOTIF(L) = INT(RND(0)*7)
- 1590 NEXT L
- 1600 REM **SET UP GRAPHICS**
- 1610 GRAPHICS 24:COLOR 1
- 1620 IF RND(0)<0.5 THEN 1640 1630 SETCOLOR 2,RND(0)*16,0:SETCOLOR 1,0,RND(0)*8+4:GOTO 1650
- 1640 SETCOLOR 2,RND(0)*16,RND(0)*6+4:SETCOLOR 1,0,0

SL

- 1650 CX=INT(RND(0)*160):X=INT(RND(0)*160)
- 1660 CY=INT(RND(0)*96): Y=INT(RND(0)*96)
- 1670 GOSUB 2000:DX=VEC
- 1680 GOSUB 2000:DY=VEC
- 1690 RETURN
- 2000 VEC=INT(RND(0)*4)+1
- 2010 IF RND(0) < 0.5 THEN VEC = VEC
- 2020 RETURN



EPTEMBER 1982

by ANDREW CHRISTIE

I had read a good many detective novels, as I found they were excellent to take one's mind off one's worries. After discussing one with my sister, she said it was almost impossible to find a good detective story, where you didn't know who committed the crime. I said I thought I could write one.

-Agatha Christie

It's three a.m. in the city; decent folks are home in bed. The wind is still blowing in from the desert, hot and dry and steady, fraying nerves to a razor's edge; fingers twitch and eyes glance furtively at shadows or jerk toward the sound of a match being struck and catch the sight of a cigarette end glowing in a doorway.

Two stories up, there's a light in a window. A mainframe programmer is hunched over his terminal, long after hours, stealthily punching up hit points, strength, wisdom, charisma, and agility, and cackling over his readouts. It's all luck; random chance. He doesn't know it. It doesn't mean a thing. Poor sap.

Meanwhile, across town, wandering kids are checking out the *Pong* game at the Burger Chef, or sneaking into the college recreation center to play *Asteroids*.

That's how it was. It wasn't much. Origins are always crude. Between games that only a programmer could love and games that had only a slight edge over the spin cycle at Laundry King, there was little to indicate future greatness. But in prehistoric Britain, there was little to indicate Shakespeare.

The health of an art form depends upon diversity. Diversity comes with complexity. Complexity comes with culture. If you're gonna play games with a computer, sooner or later you gotta go to the culture. Otherwise, you wind up as cold meat on a slab, because nobody can play the game forever.

It's that kind of business.

It Was a Dark and Stormy Night. Here's the picture. Sometime around 700 A.D., a teller of tales decided to recount the saga of a mighty hero with a fast broadsword who performed great deeds and saved a village by slaying a monster and its mother.

Not thirteen hundred years after *Beowulf*, someone got the idea for a new kind of open-ended, role-playing game involving dungeons and dragons. And in a much shorter span of time, someone else put it into a computer.

Thus did the adventure make its way through the cultural matrix. The current focus of our concern did not take half so long. Sometime around April 1841, Edgar Allan Poe, casting about for some leisurely occupation "to keep from going mad," something to do in between the penning of his "serious" stories, hit upon a new idea; a genre composed of "tales of ratiocination." (He had already invented the short story sometime previously, making his task that much easier.) The first, "Murders in the Rue Morgue," presented a brilliant detective, a slightly dim but willing detective's assistant, a very dim officer of the law, a lot of false clues, and a climactic revelation of the solution to the mystery, provided by the brilliant detective in a room with all the suspects present, at the end of the story.

Everything old was once young.

Poe's new invention didn't really catch on stateside, but enjoyed a modest vogue across the Atlantic at the hands of Wilkie Collins, Emile Gaboriau, and Charles Dickens.

After the momentous arrival of Sherlock Holmes in 1887, the entire genre tended to coast on the reputation of the best-known character in English literature until the early 1920s, when Dame Agatha had her fateful conversation with her sister, and, along with Dorothy Sayers, Margery Allingham, and Dashiell Hammett, created what is commonly known among aficionados as the golden age of detective fiction.

At which point, somebody decided it would make a good game.




Suddenly a Shot Rang Out. Mr. Ree was an elegant ancestor of the perennial Clue (more elegant by far than the current woefully streamlined version). In modern times, *Electronic Detective* uses the traditional elements in the service of a logic game with odd/even number sequences. *Stop Thief* brought an extra dimension to board games with its marvelously subtle auditory clues—doors and windows opening; footsteps, inside and outside; subways. . . .

But it was the very first games, expensively printed books with pictures and diagrams, providing a dossier, evidence, and a packet at the end containing the solution, that were the most perfect hybrid of a literary genre that seemed based on games, and games that seemed based on books.

At least it seemed that way to Marc Blank, who discovered the Dennis Whitney thirties mystery game novels through a current re-

OFTINF



print series from Mayflower Books.

Blank and the folks at Infocom were looking for a follow-up to *Zork*; a way to expand on the fantasy game and its relatively unrelated sets of puzzle problems. Reading the old game books, he knew he was on to something, except that at the end, the solution packet was not able to say, "No, you're wrong; try again"; it simply gave you the answer. It was not interactive.

"We wanted to come up with something where you have action/reaction," Blank recalls, "where you're told the part that you've missed after you come up with a potential solution, and you can go back and try again."

What Infocom came up with was the phenomenally popular *Deadline*, first in a series of interactive mysteries for the personal computer. The first forays into computer mystery, however, were

F

М

F

Adventure International's Curse of Crowley Manor and Sierra On-Line's Mystery House, the latter fondly remembered today for all its cheerful mayhem and thudding bodies, plus an extensive vocabulary and pioneering graphics. Though these early games are very firmly in the adventure mold, the computer mystery can be seen to have descended from them, as the literary detective hero—a thinking man of action—descended from the adventure hero.

Crowley Manor does not have much to do with real life, attempting a blend of Edwardian mystery with standard-issue fantasy demons and wraiths. *Mystery House* is set in the contemporary world, an attraction for those among us who simply are not comfortable with fantasy. As Blank puts it, "When you open a door, you don't have to worry about a monster jumping out."

The mystery is indeed different from the adventure. "When you confront a problem, you have to say 'What am I gonna do now,' not two hundred moves from now, when you come back to it later. In *Deadline*, we wanted to appeal to the nonfantasy people who would rather be part of a real story; people who always wanted to participate when they read the books.

"We designed the game to be open-ended and to have a large vocabulary, but at the same time, we didn't want it too large and too open."

A detective story on a computer is a different proposition from a detective story in a book. Blank and company had to map out their plot twists and build their characters around them. "We couldn't throw in some amazing coincidence at the end that solves everything and that you could never possibly have guessed. You can't run all over town looking for clues, and you can't talk to the suspects about any subject that comes into your head."

Somewhere a Door Slammed. If *Deadline*, with its twenty-five thousand words of text and machine-independent language, is the Cadillac of the fledgling genre of computer detective fiction, there are currently several attractive economy models to choose from. Inevitably, they must all be compared to *Deadline*, as most everything else in this new genre is likely to be for some time to come.

Alibi, from Hayden Book Company's Microcomputer Gameware division, offers several levels of play, unlike *Deadline*, but it's far more limited and highly structured. Alibi is essentially author Ian Trackman's variation on the stalwart old one-of-them-always-liesand-one-always-tells-the-truth party game. The first discrepancy in testimony generally gives you your murderer/liar, knowledge you can then use to ascertain place and time. Getting all three correct promotes you to the next level—more suspects, more rooms, and a longer time span. In play, it resembles *Electronic Detective*, much simplified. The near-infinite different sets of circumstances produced by combinations of these variables produces a new "case" with every playing, very much in the tradition of *Clue*.

For the younger set, there's the nonviolent Snooper Troops, a mystery series from Spinnaker Software, the first of which, The Granite Point Ghost, does, in fact, go all over town. Ostensibly (and successfully) a piece of educational software, this one is a delightful surprise. You get to drive around in your Snoopmobile (a '57 Buick, judging by maneuverability and response, but what the hey), choosing your own suspects from a large cast of characters with separate identities and personalities. You have several different ways to obtain clues, and though your interrogatives are limited, they are never repetitive. The first installment of the Snooper Troops series proves itself an original, owing nothing to any other game. For its literary antecedents, its roots are in the classics of juvenile detective fiction, recalling Encyclopedia Brown and the Hardy Boys rather than Hercule Poirot or Sam Spade.

The Maid Screamed; a Woman Fainted. All of the foregoing will find their markets among the fans of the type of game each represents. But for hardcore mystery addicts, the only actual competition for *Deadline* may well be *Sherlock Holmes Consulting Detective*, released as a bookshelf game last May by Sleuth Publications of San Francisco and now programmed for the Atari computer by

g

2

E

B

R

Voyager Software. It's a game that gives new vistas of meaning to the term open-ended.

Scheduled for a release this fall, the Atari Forth version is a scaled-down rendering of Gary Grady's awesomely complex and intricate original game, consisting essentially of scenarios similar to the Thames Murders from the game case book, and using some graphics for a map of Holmes's London, circa 1886, with numbered clue points. Grady, a scholar of the Holmes canon, took two years to write the game, and embarked on the project with the idea of creating something "more complex than the board games. A game like 221 B Baker Street doesn't give a player a choice; you have no control over the clue you're going to get and there's no relationship of the clues to the process of play. We wanted the idea of solving a mystery rather than a puzzle."

For Grady, the difference between a logic game and a mystery is that a mystery gives you unexplained events from which you must deduce a larger context; a logic puzzle tells you what happened and leaves you to infer the specific events that make up that context.

"In real life, if a policeman walks into a room and finds a dead body, that's all he knows."

Like the original, Voyager's computer translation is planned to be a multiplayer game, with players donning the roles of the Baker Street Irregulars and competing with Holmes in the streets of Victorian London to find the solution to each case with maximum dispatch. In the course of investigating the main case, players are liable to stumble onto several other unrelated mysteries; part of the mystery is finding out how many cases you have to solve.

Consulting Detective will be regularly updated with new cases, all requiring a master disk containing the essential information for play.

A Cloud Passed over the Moon. How to follow Sherlock Holmes was a problem before and may prove to be a problem again. (Infocom's next mystery game, planned for release in early 1983, will be an eyewitness murder case in which you may prevent the murder from occurring or possibly die trying.) It has long been noted that the most vital and interesting writers of fiction in America during the last fifty years have been mystery writers; detective novel hacks; graduates of the pulp thriller, once removed: the Raymond Chandlers, Dashiell Hammetts, and Ross MacDonalds.

This new breed of computer game may well bring out the best in designers and programmers, igniting a comparable renaissance of the popular imagination.

Marc Blank is convinced:

"In the movie *Deathtrap*, they show you the body and tell you it's dead. It turns out not to be.... In these games, you examine the body. Unlike books and movies, there's no cheating. The intent is not to maximize audience surprise, but a player's sense of accomplishment."

Or as Gary Grady recalls, "Dorothy Sayers once said that the job of the mystery writer is to gently take the reader by the hand and lead him in the wrong direction. We don't do that."

That's the essential difference between computer detection and the literary mystery, though it all started in the same cradle of popular culture. One could take that case as far back as 1794 and Ann Radcliffe's *Mysteries of Udolpho*, which, in recounting the trials of a stalwart English couple who endure an extended stay in an ancient Italian castle, bearing up under threats of death, abduction, the supernatural, and a general air of menace, probably created several genres at once. Lots of secret panels and underground catacombs, too.

Thus do the old and enduring genetic materials return and return again, crossing over from one medium to another to lend several hundred years of literary tradition to your eager little micro. And everything old is new again.



CALSOFT Personal - Entertainment - Business SOFTWARE

15% OFF

discount e Low Discount Prices / 15 to 25% Discount off List Price Fast Convenient Service / We ship same or next day Large Selection of Software / Call or Write for our FREE Catalog!



We have all the latest software-ASK US!

Call Toll Free: (800) 423-5290 In California: (213) 991-9641

i-Res Computer	Golf all	29.95	Price 106.25 25.45	MICROSOFT Pric Adventure 29.9 Typing Tutor II 24.9
i-Res Computer ero Gravity Pinb BRODER pple Panic Genetic Drift .	Golf	29.95	25.45	Typing Tutor II
BRODER pple Panic Genetic Drift	all			ipping rotor in
BRODER pple Panic Genetic Drift			25.45	Olympic Decathlon
pple Panic Genetic Drift .		0.200.000		* TASC Compiler
Genetic Drift		00.05	25.45	MUSE
			25.45	Super Text 40/80
aviu s miuniyni i			29.70	Castle Wolfenstein
he Arcade Mach	ne		38.20	Frazzle NEW 24.9
			25.45	Firebug NEW 24.9
			23.95	
			25.45	ON-LINE SYSTEMS
			28.20	HI-RES Adventures 0-5
eadly Secrets .	NEW	34.95	29.70	* Cross Fire
erpentine	NEW	34.95	29.70	LISA
	_			LISA Educational System 119.9
CAVALIE	R			* General Manager
			21.20	Threshold
			25.45	Screen Writer
			25.45	Screen Writer Professional
Microwave		34.95	26.20	The Dictionary
ONTING				Expediter II+ 134.9 Jawbreaker 29.9
CONTINI				+ Mouskattack 34.9
	tant		56.20	Marauder
	der		29.70	Ultima II
	#1-4 (each) 2		187.50	EPF IV
irst Class Mail .	NEW	74.95	63.70	Frogger
ATA MAC	OT			Cannonball Blitz 34.9
DATA MC	131	1242242	· · · · · · · · · · · · · · · · · · ·	The Artist
			25.45	* Laf-Pak
			25.45	Pest Patrol
			25.45	
			26.20 33.95	VISICORP
				Visiplot
	ball NEW		59.40 25.45	* Visitrend/Visiplot
	NEW NEW		25.45	Visidex
issing mily	NEW NEW	20.00	20.40	Visiterm
EDU-WAR	RE			* Visicalc 3.3
	ilders	32.05	28.00	Visifile
	lar Sharks		28.00	SENSIBLE
	NEW		33.95	Super Disk Copy III
		00.00	00.00	
GEBELLI				Multi-Disk Catalog
		29.95	25.45	Image Printer
			29.70	inage Printer
Horizon V		34.95	26.20	SIR-TECH
	NEW		25.45	* Wizardry
azer Silk	NEW	29.95	25.45	Knight of Diamonds
enith	NEW	34.95	29.70	and the second
haser Fire	NEW	29.95	25.45	SOFTWARE PUBLISHING
				PFS 125.0
AYDEN				PFS: Report
			29.70	* PFS: Graph NEW 125.0
	r 3.3		148.75	
Pie Writer		49.95	112.45	STONEWARE
HEADO				DB Master 229.0
NFOCO				* DB Master Utility Pak #1 99.0
			33.95	DB Master Utility Pak #2 99.
			33.95	DB Master Stat Pak
Deadline		49.95	37.45	Graphics Processing System 59.9

Our	R	atail C	ur
Price	SIRIUS SOFTWARE	rice Pr	ice
5.45	Gorgon	.95 33	.95
21.20	Sneakers	.95 25	.45
25.45	* Epoch		.20
31.25	Copts & Robbers		.70
	Beer Run		.45
48.75	Hadron 34 The Joyport 74		.70
25.45	* Twerps		.45
21.20	Snake Byte		.45
21.20	Audex 29		.45
	Kabul Spy		.70
	Minotaur		.70
6 OFF	* Bandits	.95 26	.20
22.45	Escape from Rungistan NEW 29	9.95 25	.45
67.95	Lemmings NEW 29		.45
01.95			.45
64.95			.45
33.95	Fly Wars	9.95 25	.45
10.45	STRATEGIC SIMULATIC	DNC	
69.95 84.95	Cartels & Cutthroats		.95
14.70	Computer Quarterback (2nd Ed.)		.95
25.45	The Shattered Alliance 55		.95
26.20	Computer Baseball		.95
29.70	* Operation Apocalypse		.95
50.95	Southern Command		.95
67.95	* Napoleon's Campaigns		.95
29.70	Road to Gettysburg 59	9.95 50	.95
29.70	* Pursuit of the Graf Spee		.95
67.95	Guadalcanal Campaign NEW 55		.95
26.20	Cytron Masters NEW 39		.95
25.45	Galactic Gladiators NEW 39		.95
			.95
70.00	The Cosmic Balance NEW 39	9.95 33	.95
30.00	TG PRODUCTS		
12.50	Game Paddles	95 33	.95
85.00	Joystick		.95
93.75	* Select-a-Port		.95
12.50			
	We also carry complete lines from	the follo	w-
	ing companies:		
25.50	•		
21.25	ADVENTURE INTERNAT		L
93.75 34.00	ARTSCI • ASHTON-T	ATE	
34.00	AUTOMATED . BEA		
37.45	BUDGECO . CAL PAC		
29.70	HOWARD . INNOVA	TIVE	
	MICROLAB . MICRO		
06.25	PENGUIN PHOEN		
80.75	PICCADILLY . QUAI	_ITY	
93.75	SENTIENT . SIER		
			~
	SOUTHEASTERN . SUE		C
95.45	SOUTHWESTERN • V	IDEX	
74.25	SYNERGISTIC . SYSTEM		15
84.15		-1	
84.15 84.15 50.95	If you don't see it, Ask U	s!	

Call Toll Free: (800) 423-5290 In California: (213) 991-9641

We accept Mastercard & Visa (include # and Expiration Date), check, COD (\$1.50 extra), or Money Order. California residents add 6% sales tax. Include \$2.00 for shipping (UPS Blue Label \$3.00, Canada \$6.00, other foreign countries \$10.00).

346 N. Kanan Rd. #103 Agoura, CA 91301

* Sale prices are through October only! Prices subject to change without notice.

Gameline

Serpentine

By David Snider.

The beauty of *Serpentine* is twofold. To begin with, the game is devilishly addicting, being endowed with the quality that makes arcade games worth the bother. You know that if you hadn't made that one wrong move you would still be alive, so you find yourself trying again and again. There is a definite carrot-dangling-on-a-stick quality to this game. The other nice thing about the program is how well done it is.

Imagine Chinese dragons squaring off in the midst of a parade—tails whipping around corners, tight circular chases with sinuous ninety-degree turns, and some beautifully exasperating flimflam as rival serpents cross paths and come out heads at each end.

Serpentine is a fresh twist in maze games. You chase snakes' tails and they chase yours. It stars two teams of three snakes each: your team is blue and theirs is orange. An interesting aspect of the competition is that both sides are at root identically matched. Only fate (and the author, who also wrote *Midnight Magic*) has made your team the good guys.

Of course, it would only be a wrestling match if both sides weren't given handicaps. Orange serpents turn green when you're longer than they are, and then you can eat them whole, head on. Your team only comes out of the starting gate one snake at a time. The enemy snakes come out in threes, and they're seven sections long; you're only three sections long to start.

As the enemy serpents first slink through the maze, you should be hunting frogs. Eat a frog that hops into the game and you grow one section. Chomping off the enemy's tail whittles him down to size but you don't grow. Better to leave him at least two sections long so you can eat him head on; then you score more and also gain a length.

Both teams of snakes lay eggs. Theirs are speckled and grow into more pesky snakes if not eaten by you. Yours are blue, and when they hatch at the end of each round (if they haven't been eaten),



We're being overrun with bugs. Animated Ants are after the sugar in the kitchen. Busy Bezzing Bees are outside by the patio ruining picnics. And Springy Spiders are cluttering up the garage. HOW GOOD AN EXTERMINATOR ARE YOU?

BEZOFF requires an Apple II Plus with 48K, a Joystick (or you've got to be very good with the paddles). Boots on 16 sector disc drives. \$32.95

BEZ 4790 Irvine Blvd., Suite 108B, Box 19633, Irvine, Ca. 92714

VISA/MASTERCARD ACCEPTED: Include Card number, expiration date, signature. Add \$1.50 shipping and handling. California residents add 6% sales tax.

S

F

they inch cutely to home base and go with you to the next of an incredible ninety-nine levels (actually twenty different mazes that repeat; enemy snakes get smarter as you climb).

With blue and yellow teams in combat, this game only plays well on a color monitor. It can be played in black and white as long as you keep an eye on your hero and everyone's lengths. You'll have to determine when the enemy is head-on edible by knowing when it's shorter than you are.

A maze game played on a joystick can be a slippery chore. Serpentine responds crisply to joystick as well as keyboard. It's good, clean fun and it'll make you reckless. Heavy objects lying near the computer should be removed to lessen the temptation to halt the inexorable march of the slinky green bandits.

Between the frogs, the speckled eggs, and the serpents' heads, you can score a bellyful of points if you're clever. You can also get your little tail nipped off quite often if you're not. So stay hungry, pray the frogs are running, and keep your hind end out of trouble.

Choplifter was a hard act to follow. Serpentine is not quite the graphics tour de force that its whirlybird predecessor was, but it's twice the game. And that's no mean feat.

Canyon Climber

By Tim Ferris.

Danger lurks as you begin your journey from the bottom of the Colorado River up the walls of the Grand Canyon in Canyon Climber. In your quest to reach the top of the canyon, you must overcome crazy mountain goats, Indian archers, and eagle-eyed birds who drop bricks. Good athletic skills and plenty of luck are the two keys to success in this challenging one-player Atari game.

As you start your dangerous ascent, your first task is to lay explosives across four towering bridges. It might sound easy, but there are these big-horned mountain goats that patrol the bridges in pairs. When the confrontation between man and animal occurs, your only defense is to attempt to hurdle the tops of the goats' sharp horns. If your timing isn't perfect, the goat will send you tumbling down to the pits of the river. Once all the charges are set, you can gleefully push the plunger and everything goes!

On the next level, mighty Indian warriors constantly bombard you with arrows. You have the option of jumping the arrows or grabbing a shield to block them. If you choose the athletic option, you must jump with great precision or be knocked off the edge of the cliff. Although the shields provide good protection, they can disappear at any time between three and twelve seconds. It is quite easy to be struck right between the eyes as the shield vanishes with no warning.

Should you survive the Indians, you reach the gorges and can see the spacious blue sky at the top of the canyon. But the sky is full of birds who are dropping bricks with excellent aim! With no rest or protection, you must jump the peaks and valleys while dodging the bricks. Mistiming a jump or getting hit with a brick will send you yup, off the cliff again. If you can get to the top of the canyon you begin dancing with joy. To your dismay, a billy goat knocks you all the way to the bottom of the Colorado River to begin once more having been rewarded for your expert mountain-climbing ability with an extra climber.

On all the levels are ladders to climb, which provide occasional protection from the goats and arrows. Don't get caught on the ladders in the gorges or the falling bricks will get you. The longer it takes to complete the three levels, the faster the obstacles come at you, so be quick and sure-footed. With each successful journey up the canyon the natives become even more protective of their peaceful environment. *Canyon Climber* fits right in with the "climb-ing craze" sweeping the arcades today. Although the graphics are not as good as some of their other games, Datasoft has given us a game that is fun to play and makes good use of the computer's animation and musical capabilities.

Atari 400 or 800; 16K; disk or cassette. \$29.95 from Datasoft, 19519 Business Center Drive, Northridge, CA 91324; (213) 701-5161.

E

Galaxy of Games

By John Savolaine, Don Dilley, and Jerry and Lori Wilkerson.

For those who want to leave the world of adventuring, target shooting, and dot-gobbling games, *Galaxy of Games* offers a potpourri of four games to relax with. There are no time limits, no high scores to beat, nothing to kill—although you wouldn't know it from the names: *Hangman, One-Armed Bandit, Skunk,* and *Jacks*.

Hangman is the traditional game in which the player tries to guess a word the computer has chosen by filling in letters. If you guess right, the appropriate blanks are filled in. Each wrong guess adds a part to the body being hung. If the body is complete, you lose. In this version of Hangman, the computer shows the words and letters that have been tried.

One-Armed Bandit simulates a slot machine; the object is to win money. The computer shows the results of the last spin and the player's cash. Each turn, you bet between one and a hundred dollars. If you lose all your money, you can play on the computer's credit.

The game is slow, but the flashing lights and handle movement that slow it down do add realism.

Skunk is a challenging dice game either solo or with as many as six players. The computer rolls six dice. You must try to score as many points as possible based on the value of the dice and their patterns (three of a kind, three pairs, six ones, and so on). Dice with point value may be saved and their points added to your score; then you continue to roll any remaining dice or another six. Your turn ends either when you choose to end it or when you're skunked. If you're skunked, you lose all the points you scored that turn.

Skunk makes the sound of rolling dice and even plays tunes. One to five people may play Jacks, a card game in which the object is to get the least amount of points. Jacks are valuable because they count no points; all other cards count their face value or ten. This program contains a bug, but it's triggered only by human error: if you try to take a card from the discard pile when there are no

S

F

Ρ

E

Μ

В

E

R

1

9

8

Т

cards there, the program kicks out. Still, Jacks is an exciting game.

These games are excellent in detail and playability. Each game in *Galaxy of Games* is challenging in its way. The games are especially good for youngsters because the instructions are easy to understand. At four games for the price of one, this is a real bargain. ITRS-80 models I and III; 16K; cassette or disk. \$14.95 from Hayden Microcomputer Gameware, 50 Essex Street, Rochelle Park, NJ 07662; (800) 631-0856. Marauder


By Rorke Weigandt and Eric Hammond.

This one's for the plunder and pillage crowd. The idea is simple: Run around the galaxy trashing planets. Barring any philosophical qualms one may have about extinguishing alien fauna, destroying planets can be fun. Besides, the guards are all robots and mean.

Marauder is a two-part space seek-and-destroy game in which you are the marauder, first controlling a spacecraft blasting away at planetary defenses and then running about in undergound tunnels trying to destroy the planet's main power supply. While there is no real strategy or thought involved in the game, it can be a lot of fun. Players can choose to play the first part or second part exclusively or the full game.

The first part of the game puts you in control of a ship hovering above the surface of a nameless planet. You must destroy all of the defenses by shooting through a force field and then bombing missile launch sites. The ground installations fire slow-moving heatseeking mines that follow you, missiles that detonate at the point where they expected you to be, laser beams that rise perpendicular to the planet's surface, and indestructible fireballs that home in on you but also constantly rise, so that a bit of skillful maneuvering will get you below them and out of harm's way. Your ship is equipped with a temporary overdrive for those breathless moments when a fireball seems to have your number.

Once you have wiped the surface of the planet clean, you must dive through the wreckage of the fireball launcher to enter the un-



2

derground maze. The maze is a relatively simple one populated by a particularly bellicose species of robot. You can't see the vicious droids until they are in line of sight, and vice versa.

Your mission, once in the maze, is to locate the power source and destroy it with your hand weapon. Once you have blown up the power source, you have just time to get back to your ship before the roof begins to cave in.

One peculiarity of the game is that, while your marauder carries his weapon in his right hand, the robots have center-mounted blasters; face-to-face confrontations are invariably fatal to you, so you must be extraordinarily careful not to square off with a robot.

All in all, *Marauder* is as good as any mindless arcade game, and better than most. Its strength and weakness are one and the same: to succeed one needs good reflexes only; there are no strategies to be developed, no intelligent opposition to outfox. If you are looking for entertainment without mental calisthenics, this game should provide hours and hours of fun.

Apple II, Apple II Plus; 48K; disk. \$34.95 from Sierra On-Line, 36575 Mudge Ranch Road, Coarsegold, CA 93614; (209) 683-6858.

Hockey

Solitaire computer games, dependent on the interaction between player and machine, require a certain level of sophistication to remain interesting. Those needing at least two human players, on the other hand, provide much of their enjoyment because of the head-to-head combat between competitive rivals. Since the computer acts only as the medium on which the challenge is met, the game itself need not be intricate to be successful.

Such is the case with Gamma Software's Hockey, a simple game with great potential for enjoyment.

This is standard ice hockey, although the teams are reduced to four players each: three forwards and a goalie. A standard joystick controls one of the forwards, either the man with the puck or his opposing guard. The other two men on each side are monitored by the computer and manage to follow the flow of action fairly well. Should the puck be passed, the passer becomes computer-controlled and the passee then responds to the joystick.

The goalie, who guards the front of the cage, cannot hold the puck but deflects it back onto the playfield. It then can be picked up when a forward touches it with his stick. By the same token, the puck may be stolen by a defensive man who touches it with *his* stick.

The game begins with a face-off at the center of the rink, a maneuver that's repeated following each goal (worth one point). Should the game end in a tie, the computer immediately moves into a two-minute sudden death playoff. The game length itself can be optioned at three, five, or eight minutes.

Up to four players can participate. Partners (each with a joystick) divide team responsibilities: one controls the forwards, while the other acts as goalie. This option actually is preferable, since it is difficult to guard one's goal and try to reclaim the puck when a single joystick controls all four men.

The simple graphics, in which a skater resembles a praying mantis, are enough to differentiate man from stick. The sound effects are more primitive: the crowd's cheers sound more like pounding surf, and the match ends with only a brief *blaaat* from the buzzer. Far better is the game's beginning, when the computer plays the last few bars of "The Star-Spangled Banner" (without, fortunately, an attempt to reproduce Ethel Merman's vocal).

On the negative side, it is very difficult for the defender to spot his flashing man (which should be guarding the puck) amid the frenetic activity of a goal rush. The hint in the instruction manual (relax the joystick to the center position and look closely) is of limited use; a goal can be scored in the meantime. It's also unfortunate that the game does not allow forwards to skate behind the goal, as that maneuver produces intriguing shots. Finally, there is no running game score and no halves or quarters; the game starts from scratch at the end of each match.

APPLE Choplifter HI-RES Adv. = 1 - Deadly Secrets	Rotail Disco \$ 34.95 \$ 25 34.95 25		Cromme	odore IBM [*]	N	ATARI Battle of Shiloh (d)	Retail Discou \$ 39.95 2
ni-ncs Adv. # 1 - Deadly secrets Pig Pen Zenith Phazer Fire Wordrace Format II (80 Col Card Rqd) Firebug PFS (New Improved) Wizardry Knights of Diamonds (Scenario #2) David's Midnight Magic Star Blazer Apple Panic TG Joysticks TG Game Paddles D.B. Master Joyport Escape from Rungistan Fly Wars Cannonball Blitz Frogger The Artist HI-RES Adv #5 - Time Zone Visicalc 3.3 Visitrend/Visiplot (Special) Ribbit The Home Accountant Magic Window Screenwriter II	29.95 2: 34.95 2: 29.95 2: 24.95 18 375.00 24 125.00 96 49.95 36 34.95 22 34.95 22 34.95 22 34.95 22 29.95 2 29.95 2 29.95 2 29.95 2 29.95 2 29.95 2 34.95 24 9.95 2 29.95 2 29.95 2 34.95 24 39.95 2 34.95 24 39.95 7 99.95 7 99.95 7 99.95 7 99.95 7 99.95 7 99.95 7 99.95 7 99.95 7	00 CPM 00 Adventures 1-12 00 WordStar	R111 Discont \$129.00 \$97.00 495.00 350.00 350.00 275.00 150.00 100.00 250.00 175.00 250.00 175.00 250.00 175.00 250.00 175.00 350.00 295.00 350.00 260.00 700.00 295.00 295.00 220.00 295.00 225.00 1000.00 720.00 1000.00 720.00 1000.00 720.00 1000.00 720.00 1000.00 720.00 64.95 295.00 20.00 110.00 89.95 70.00 64.95 48.00 200.00 160.00 250.00 220.00 250.00 220.00	TRS-80 Attack Force (d) Galaxy Invasion (i) Invasion Orion (d) (t) Sorcerer of Siva (d) (t) Rescue at Rigel (d) (t) Crush. Crumble & Chomp (d) (t) Hellfire Warrior (d) (t) Galactic Trader (t) Galactic Trader (t) Galactic Trader (t) Galactic Trader (t) Battle of Shiloh (t) Tigers in the Snow (t) Flight Simulator (t) Alien Armada (d) Adventures '1-12 (Gold Edition) (t) SUPER SPECI . Zenith 12 Green Monito Intec 32K Board (Atari)	ALS r \$120.00	Hodge Podge (d) Cavarns of Mars (d)	29.95 2 29.95 2 29.95 2 29.95 2 29.95 2 29.95 2 29.95 2 39.95 2 39.95 2 49.95 3 44.95 3 44.95 2 39.95 2 29.95 2 29.95 2 29.95 2 29.95 2 29.95 2 29.95 2 29.95 2 29.95 2 29.95 2 29.95 2 29.95 2 29.95 2 29.95 2 29.95 2 29.95 2 29.95 2 39.95 2 39.95 2 39.95 2 39.95 2 39.95
TERMS: Send chec for total purchase for shipping. MI r tax. C.O.D. accepte © MFGS TRADEMARK	ck or mo price, p residents	lus \$2.00	STRÖ P.O. Box 197 Plymouth, Mi. (313) 455-803	SYSTEMS INC. 48170	WRITE 1 4F AI	CARD ACCEPTED COR CALL FOR FREE PHONE ORDER HO OPM - 7PM MON. INCLUDE CARD NUM INCLUDE CARD NUM ND EXPIRATION DATE CREDIT CARD ORDE CLUDE TYPE OF COM	URS - FRI. BER WITH RS.

In spite of those shortcomings, *Hockey* has an infectious streak to it, and it's nice to see a game that can involve so many people. *Hockey* may look primitive, but that's appropriate for a game that caters to an instinct as primitive as competitive drive. Atari 400 or 800; 16K; disk, \$29.95 from Gamma Software, Box 25625, Los Angeles, CA 90025; (213) 473-7441.

Hazard Run

By Dennis Zander.

What hath Burt Reynolds wrought?

Most of the world probably has had it with good ol' boys and slack-jawed law enforcement officers. Today's software industry, however, is not apt to leave a generic stone unturned. Those thrilled by converted Mustangs leaping large bodies of water now have the opportunity to duplicate that feat of derring-do with their home computers.

Hazard Run, unfortunately, is not up to its film forerunners. Zander's program is rather small (144 sectors of Basic) and has a high frustration quotient, which might result in players hurling joysticks through their monitors.

This solitaire game employs only three joystick commands: left, right, and fire. After starting the run, the firing button becomes the brake, and the stick commands correspond to the image on the screen. Your car will always accelerate unless the brake is applied. The car remains at the base of the screen while the "course" scrolls downward. Vehicle-crunching hazards include tree trunks, rocks, fences, police cars, canyon walls, bridge struts, and some chickens (fryers, no doubt). Hitting such an object dead on will flip and destroy one of your five cars; sideswiping will tip the car onto two wheels, making it narrower and able to squeeze through tight spots.

Hazard Run's major problem is the manner in which the joystick steers the car. Rather than simulating the smooth turning action of front-wheel or rear-wheel drive, the car pivots at its center and then back to vertical. This pendular action makes the car a wider target while negotiating a turn, increasing the chances of hitting the object you're trying to avoid.

Almost worse is the lack of anticipation time. Jumping a river must be done at no less than sixty miles per hour (something you won't learn from the sparse instructions; just remember, you read it here first) or the car will crash into the far embankment, ending that particular run. Also, the car will not reach sixty from a standing start in the space provided by one screen's worth of graphics. In other words, there is not sufficient time to negotiate several of the rivers. The game must be partially memorized before it can be completed successfully.

While there are four different runs, ranging from "chicken run" (the shortest and easiest) to "Hell's canyon" (the longest and hardest), each merely builds on those preceding it. Extra gas will be needed for the longer trips, and fuel may be picked up by running over hazardously placed gas cans.

When jumping a river, point of view switches from bird's-eye to sidelong. If the car makes the jump, action immediately returns to the aerial view, so be prepared to move quickly. The program plays the same few bars from "Dixie" regardless of the jump's outcome; it would be nicer (and preferable psychologically) to hear something different as a reward for making the jump.

Clearing the final river results in the anticlimactic delight of watching the pursuing police car land in the drink. It's a cute touch, but one that rapidly wears thin . . . as does the wait required before each run while the two drivers enter the car.

Hazard Run is just a bit too primitive for today's market and will be of interest mostly to neophytes and young children. Atari 400 or 800; 16K. Cassette, \$27.95; disk, \$31.95 from Artworx, 150 North Main Street, Fairport, NY 14450; (800) 828-6573; in New York, (716) 425-2833.

Guest reviewers in September were Dave Albert, Derrick Bang, Mike Klem, and Marcia and Gary Rose.

Ρ

F

M

Т

F

S



26

Bonus For Charter Subscribers 10% Off On All Dirty Book Software Subscribe Today Take a break from the space wars and shoot 'em ups. The Dirty Book will bring you the latest collection of bedroom programs and games geared to creative, joyful living and loving. Here's a great opportunity to chart your own course to greater intimacy and satisfaction in the months to come Read how your fellow computerists enjoy these zesty programs. French Post Cards • Bedtime Stories Dirty Old Man • Animated Comics Encounter • Interlude • Pornopoly • Sex Disk • Softporn • Whatzee Street Life • Love Quotient #9 Here's A New Contest You'll Love To Enter! Submit your favorite micro-computer game program to the "Dirty Book" contest. You can win an expense-paid trip to fabulous New Orleans and enjoy the exciting French Quarter and all that jazz. The "Dirty Book" will expose your bedtime games and programs to thousands of prospective buyers. Write for full details. **Bourbon Street Press** 3225 Danny Park, New Orleans (Metairie), LA 70002 (504) 455-5330 (You must be of legal age to enter subscription) Name Company (if any)_ Address City State Zip Charter Subscription 1 yr. 4 issues @29.95 Check enclosed COD - Company Only Single issue @9.95 Dealer Inquiries or Call in Orders: P0# Visa or Bourbon St. Press (504) 455-5330 MC# Signature **Expiration Date**

Maze in 3-D

from page 14-

- 1340 HPLOT X6,Y6 TO X7,Y7: IF R <> **RR THEN HPLOT** X2,Y2 TO X3,Y3
- **GOTO 1400** 1350
- GOSUB 1800:XX = XE:YY = YE: GOSUB 1600: IF T(D) = 1 1360 **THEN 1400**
- 1370 IF T(D) = 0 THEN 1390
- 1371 IFR <> **RR THEN 1380**
- 1372 HPLOT 181,143 TO 181,31 TO 183,31
- 1373 **GOTO 1390**
- 1380 HPLOT X6 + XV,Y7 TO X6 + XV,Y6 + XV TO X2,Y6 + XV
- 1390 HPLOT X2,Y6 TO X7,Y6 TO X7,Y7 TO X3,Y7
- 1400 X1 = X5:Y1 = Y5:X2 = X6:Y2 = Y6
- 1410 X3 = X7:Y3 = Y7:X4 = X8:Y4 = Y8
- XX = X:YY = Y: GOSUB 1600:N = T(D)1420
- 1430 IFN <> 1 THEN 1500
- 1440 IF D = 1 THEN Y = Y - 1
- IF D = 2 THEN X = X + 11450
- 1460 IF D = 3 THEN Y = Y + 1
- 1470 IF D = 4 THEN X = X - 1
- 1480 R = R - 1: IF R = 0 THEN 1540
- 1490 **GOTO 1090**
- 1500 HPLOT X5,Y5 TO X6,Y6 TO X7,Y7 TO X8,Y8 TO X5,Y5
- 1510 IF N <> 2 THEN 1540
- 1520 XV = (X2 - X1) / 8:YV = (Y4 - Y1) / 8
- 1530 HPLOT X8 + XV, Y8 TO X5 + XV, Y5 + YV TO X6 - XV, Y6 + YV TO X7 - XV,Y7
- 1540 RETURN
- 1600 $T = A^{0}/_{0}(XX,YY)$
- IF T < 0 THEN T = T + 655361610
- 1620 S = INT (T / 4096)
- 1630 T = T - S * 40961640 T(1) = INT (T / 512)
- 1650 T = T - T(1) * 512
- T(2) = INT (T / 64)1660
- T = T T(2) * 641670
- 1680 T(3) = INT (T / 8)
- 1690 T(4) = T - T(3) * 8
- 1700 RETURN
- 1800 XE = X:YE = Y: IF P = 1 THEN YE = YE - 1
- 1810 IF P = 2 THEN XE = XE + 1
- 1820 IF P = 3 THEN YE = YE + 1 1830
- IF P = 4 THEN XE = XE 1 1840 RETURN
- FOR I = 1 TO 10 3000
- 3010 FOR J = 1 TO 10
- 3020 READ A%(J,I)
- 3030 NEXT J,I
- 3040 RETURN
- 3100 DATA 72,65,81,73,17,72,9,72,73,9
- 3110 DATA 520,72,1033,520,1096,513,576,513,512,520
- 3120 DATA 520,576,513,520,520,8,128,74,9,520
- DATA 584,65,65,513,576,577,1,576,513,520 3130
- 3140 DATA 520,64,129,74,9,64,137,74,1,520
- 3150 DATA 520,72,9,592,529,80,513,512,80,513 3160
- DATA 648,514,576,1025,1032,1088,137,74,1097,9
- DATA 640,66,129,66,577,65,521,576,577,513 3170
- 3180 DATA 136,74,137,10,72,65,577,65,9,8 3190 DATA 512,576,513,576,577,65,65,1,576,513

E


Ν

Brian Fitzgerald coauthored Taxman and Sheila with Greg Autry. The two founded H.A.L. Labs in 1981, following Brian's graduation from the University of California, Irvine, with a degree in physics and computer science. He has been playing with Apples since 1977.

SL

S F Т О L

New Players



Lionel Raff often felt frustrated by the trial and error involved in solving computer games. He objected to luck being a more important factor in successful play than logic or creativity. He took steps to solve this problem for himself and other gamers by founding a software company with the goal of programming games that yield their secrets only to the application of logic-while retaining a sense of adventure and excitement. The company is Raff-Craft.

Lionel Raff is a games player par excellence; a ranked chess player and life master in the American Contract Bridge League. He is also an internationally published Regents Professor in Chemistry and was a National Science Foundation postdoctoral fellow at Columbia University.

Raff's interest in computers began in 1959 when the computers he worked with wouldn't fit in his house, let alone on his game table. He has followed their development with awe and excitement, and by last January he could no longer resist the temptation to get his hand into the computer-gaming action. In the wide-open spaces of Stillwater, Oklahoma, Raff-Craft was born.

They're Off! The company's first venture is Derby Downs, allowing from one to ten players to play an endless series of horse races—one day's program at a time. Each day is unique—with all the excitement and challenge of a day at the races. The players who can evaluate speed, endurance, guality of the jockey, post position, weight, and other factors that influence the outcome of real races are the most likely to win. The tote board allows for guinellas, exactas, perfectas, daily doubles, across the boards-just about all the betting forms available at the races except the new pick six.

Raff-Craft's second project, tentatively titled Zartan's Cube, will allow adventurers to compete with a consummate gamemaster for treasures and glory. Each adventure is different to the extent that problems change each trip, and your intelligence is increased by successful encounters and decreased by unsuccessful ones.

For the future, Raff-Craft is negotiating with the copyright holder of Bracket, the word game of deductive reasoning, for the right to produce the computer version of the game.


Tana Maxwell, vice president of Raff-Craft and a psychologist, is currently involved in the business end of the company but plans to work with Raff on some realistic, fun, and educational psychological interaction games.

For education and entertainment, the Apple seems to have found a prime source of edifying product for its inexhaustible appetite.



F Ρ Т E M B F R 1 9 8

Adventures in Adventuring



by KEN ROSE

Shhh!!!!

Be very quiet and you may hear the sound of muffled footprints, the scratching of fingernails against a windowpane, the quiet breathing of a stranger hidden in the next room. Look!

Is that the body of Sir Malcolm Bainbridge slumped over his desk with a Kris plunged into his heart? Can it be that the Forsythe emerald is missing and that the infamous Reginald Forsythe was seen fleeing from his former wife's home? Think!

Whodunit? Can you walk in the footsteps of Holmes and Father Brown and Marlowe and Templer and Spade and Fell and Chan?

Of course you can. You, of all the people who are interested in the modern magic of the computer, can turn that logical, cool, wellordered mind to solving mysteries that are far beyond the abilities of mortal men.

Our adventure in adventuring thus far has had a theme of fantasy with a smattering of science fiction thrown in. If you've been following these articles, you're now familiar with the techniques used in resolving conflicts, having the computer recognize commands, moving around, measuring time, and designing simple text adventure games around these conflicts.

This month we'll deal with the handling of objects in an adventure program—how to pick things up, use things, and drop them. Our adventure has a mystery theme, in that we will be trying to recover a stolen diamond of little value.

You'll probably notice that as these programs become more sophisticated, they become longer. Most of the length is taken up not by the logic of the program but by the descriptive words needed to flesh out the story. In fact, in most commercial adventure games, the

F

Т

program takes up very little of the disk. The bulk of the disk is filled with the wordy descriptions used to make the game interesting.

This month's program is written in sections. The rest of the article will deal with what each section does and how it does it. Although this program was written on an Apple II, it's easily adaptable to any small computer using Basic. The program fits into any machine that has 4K of memory. As we go along, we'll comment on those things peculiar to Apple Basic and what they mean.

So, without further ado, let us analyze: The Case of the Pigheaded Diamond.

Lines 10 through 150: Line 10 clears the screen and moves the cursor to the upper left-hand corner.

Line 15 goes to the subroutine at line 9000 which describes what the story is all about.

Line 20 dimensions variables. These variables are for the directions used in the fifteen rooms, the room names (RN\$), the eleven nouns that the program will use (*noun*\$ found in data line 10160), the descriptions for each of the nouns (*des*\$), and, finally, the room locations for each of the objects (*ob*) that will be used.

Lines 30 through 140 read in the data for the dimensioned variables. Line 150 does several things. It sets the variable that keeps track of which room we're in (variable *R*) to 1, it uses Apple language so that the top line won't scroll off the screen (*poke 34,1*), and it goes to line 1490. Line 1490 prints the room description at the top of the screen.

Lines 1000 through 1070 are the parser, the thing that takes the words and splits them into verbs and nouns. A longer explanation can be found in the March issue of *Softline* ("Please Parse the Zork"), but, briefly, what the parser does is find the blank between the words and set up two separate variables, one for the noun (n1\$) and one for the verb (v1\$).

Lines 1200 through 1390 are devoted to sending the program to the routines that carry out instructions called for by the verb part of the command. The verbs used in this program are go, the name of a direction in which to go, *inventory*, *quit*, *look*, *get*, *drop*, *climb*, and *dig*. If the verb is none of these, this routine tells the program to go back to the command line. Note that line 1225 requires twoword commands except in the cases of *inventory*, *quit*, *go*, and the names of directions.

Lines 1400 through 1490 are the lines that control moving around. This is detailed in the May Softline in "From Here to There and Back Again." Note that in line 1490 special Apple language is again used. Home means clear the screen except for the first line, which was locked in place by poke 34. Vtab 1 sends the cursor to line 1 and *call* -868 clears the line from the cursor to the end of that line. Then the room name is printed.

Lines 1500 through 1530 are used to print the names of the objects that are found in each room. There are eleven objects used in this game and they are found in line 10160. Each object also has an object variable number. The first object in the list is an ice cube. The variable noun\$(1) contains the name ice cubes, the variable des\$(1) contains the description of the object ice cubes and the variable ob(1) contains the location of the object ice cubes. Since there are fifteen rooms, if the value of ob(1) is 12, then the object is associated with room 12.

The sixteenth room does not exist as a room, but is the player himself. Thus, if we make the value of ob(1) equal to 16, the ice cubes are associated with the player. You see that line 1510 refers the program to the subroutine located at lines 2200 through 2330. Line 1510 makes X equal to the room number you're in. The subroutine at line 2200 then checks to see which of the eleven objects has the same value as the room number you're in and prints them out. And that's how the objects are shown when you move into a particular room.

Lines 1600 through 1670 interpret the *look* command. Line 1610 sends us to the subroutine at line 2100, which checks to make sure the noun is valid. If it is, line 1640 then prints the appropriate description for that noun, provided line 1620 has determined either

N

E

that the noun is in the room we're in or that we are carrying it around. If the object is in the room and we're not carrying it, line 1630 prints, "That isn't here." Line 1660 gives us the ice cubes if we look in the refrigerator by making the ice cubes (*ob-1*) equal to our room value. This line also sets a counter, c3, to 1, so that we are prevented by line 1650 from getting more ice cubes.

Lines 1700 through 1760 allow us to pick up or get objects. Once again, we're sent to the subroutine at 2100 to check out the validity of the noun. Since we're room 16, if the value of the noun (ob-number) is equal to the room we're in, the value is changed to 16, which means we're now carrying the object around. If the value of the noun is not equal to the value of the room, then the particular object we're trying to get is not in the room, so we can't change it to 16, so we can't get it. Simple, huh?

Lines 1900 through 1940 list out, or *inventory*, the objects we're carrying. This is done simply by going to the same subroutine that lists out the objects when we enter a room, subroutine 2200, and having it list out the objects in room 16—which is us.

Lines 2000 through 2080 are the drop routine. The drop routine is the opposite of the get routine. The drop routine checks first to see if the noun is legitimate and then to see if the object value is 16, which means we've got it. If the noun is legitimate and we have it, its value is changed to that of the room we're in, which means we're no longer carrying the object. Note that if we change the values of either object 9 or object 1 to 1 (which means we drop it while we're in room 1), we go to the win game routine.

Lines 2100 through 2180 check the noun variable *n1\$* against the list of nouns to verify it and then return to the main part of the program. There are a couple of special situations here, though. Certain objects—including the refrigerator, the stove, and the chandelier—can only be looked at, not moved. Setting the variable X in line 2150 will allow an object's room value to be changed. Line 2120 prevents this from happening by bypassing line 2150. Line 2130 prevents you from getting the ladder until you have the shovel.

Finally a word about the *pop* in line 2180. Normally, you use the word *return* to return from a *gosub* command. Note that we are not merely returning from the *gosub* in line 2180 but are going back to the command line 1010. In order to clear the *gosub*, Apple Basic uses the word *pop*.

Lines 2200 through 2330 print out the names of nouns when the player enters a room or does an inventory. This is pretty straightforward, except for the setting of the variable Y if a noun is printed. If Y is not 1, it means that no nouns have been found and so *nothing* is printed out by line 2320.

Lines 2500 through 2580 are the climbing the ladder and climbing the bucket routines. Line 2520 checks to make sure you have either the ladder or the bucket. If you try to climb anything else, line 2550 gives you a smart-alecky message. Line 2570 is the ladder climbing routine. Note that after you climb the ladder you are given the pendants. Note, too, that this line also changes the description, so that if you look at the chandelier again you will see no more pendants. It also sets counter c1 to 1 so that if you try to climb the ladder again, line 2560 will not allow you to climb the ladder for more pendants.

Lines 2600 through 2640 are the digging routine. If you look at line 2620, you'll see that if you have the shovel (*ob-10*) and are in the right spot (room 4), you can dig up the ladder. Note that when you do, counter *c1* is set to 1. This prevents you from digging up the ladder again via line 2610. Note that if you aren't in room 4 or don't have the shovel, line 2630 gives you another smart-alecky message.

Lines 4000 through 4030 are the winning routine. Figure them out yourself.

Lines 4100 through 4110 are the losing message.

S

Lines 9000 through 9040 contain the introductory message.

Lines 10000 through 10210 are the data statements. Note that the numbers in line 10210 are the starting rooms in which each of the objects, in order, is located.

As you play the game, note the message you get when you look

at the bucket. Although there is no "Kick the Bucket" routine in the program as listed here, it would be a good exercise to add one and see how you do.

Happy adventuring.

- 10 TEXT : HOME
- 15 GOSUB 9000
- 20 DIM N(15), S(15), E(15), W(15), U(15), D(15), RN\$(15), NOUN\$(10), DES\$(10), OB(10)
- 30 FOR A = 1 TO 15
- 40 READ N(A), S(A), E(A), W(A), U(A), D(A), RN\$(A)
- 50 NEXT A
- 60 FOR A = 1 TO 10
- 70 READ NOUN\$(A)
- 80 NEXT A
- 90 FOR A = 1 TO 10
- 100 READ DES\$(A)
- 110 NEXT A
- 120 FOR A = 1 TO 10
- 130 READ OB(A)
- 140 NEXT A
- 150 R = 1: POKE 34,1: GOTO 1490: REM STARTING ROOM
- 1000 REM PARSER
- 1010 V1\$ = " ": N1\$ = " ": PRINT "COMMAND? ";: INPUT " "; A\$
- 1020 FOR A = 1 TO LEN (A\$)
- 1030 IF MID\$ (A\$,A,1) = " " THEN X = A 1:A = 0: GOTO 1060 1040 NEXT A
- 1050 V1\$ = A\$: GOTO 1220
- 1060 V1\$ = LEFT\$ (A\$,X)
- 1070 N1\$ = RIGHT\$ (A\$, LEN (A\$) (X + 1))
- 1200 REM VERB HANDLING SECTION
- 1210 IF V1\$ = "GO" THEN V1\$ = N1\$
- 1220 IF V1\$ = "NORTH" OR V1\$ = "SOUTH" OR V1\$ = "EAST" OR V1\$ = "WEST" OR V1\$ = "UP" OR V1\$ = "DOWN" THEN GOTO 1400
- 1221 IF V1\$ = "INVENTORY" OR V1\$ = "INV" THEN GOTO 1900
- 1222 IF V1\$ = "QUIT" THEN GOTO 4100
- 1225 IF N1\$ = " " THEN PRINT : PRINT "TWO WORDS, PLEASE.": PRINT : GOTO 1010
- 1230 IF V1\$ = "LOOK" THEN GOTO 1600
- 1240 IF V1\$ = "GET" THEN GOTO 1700
- 1260 IF V1\$ = "DROP" THEN GOTO 2000
- 1280 IF V1\$ = "CLIMB" THEN GOTO 2500
- 1290 IF V1\$ = "DIG" THEN GOTO 2600
- 1390 PRINT : PRINT "I DON'T KNOW HOW TO ";V1\$;".": PRINT : GOTO 1010
- 1400 REM MOVING AROUND ROUTINE
- 1410 R1 = R
- 1420 IF V1\$ = "NORTH" AND N(R) > 0 THEN R = N(R)
- 1430 IF V1\$ = "SOUTH" AND S(R) > 0 THEN R = S(R)
- 1440 IF V1\$ = "EAST" AND E(R) > 0 THEN R = E(R)
- 1450 IF V1\$ = "WEST" AND W(R) > 0 THEN R = W(R)
- 1460 IF V1\$ = "UP" AND U(R) > 0 THEN R = U(R)
- 1470 IF V1\$ = "DOWN" AND D(R) > 0 THEN R = D(R)
- 1480 IF R1 = R THEN PRINT : PRINT "I CAN'T MOVE THAT WAY.": FOR X = 1 TO 1000: NEXT
- 1490 HOME : VTAB 1: CALL 868: PRINT RN\$(R): VTAB 24
- 1500 PRINT : PRINT "OBJECTS HERE ARE:": PRINT
- 1510 X = R: GOSUB 2200
- 1520 X = 0
- 1530 GOTO 1010
- 1600 REM LOOK ROUTINE
- 1610 GOSUB 2100
- 1620 IF OB(X) = R OR OB(X) = 16 THEN GOTO 1640
- 1630 PRINT : PRINT "THAT ISN'T HERE": PRINT : GOTO 1670
- 1640 PRINT : PRINT DES\$(X): PRINT
- 1650 IF C3 = 1 THEN GOTO 1670
- 1660 IF X = 6 THEN OB(1) = 16: PRINT : PRINT "WOW...YOU'VE GOT SOME ICECUBES.": PRINT :C3 = 1

2

EPTEMBER 198

1670 X = 0: GOTO 1010 1700 REM GET STARTS HERE 1710 GOSUB 2100 1720 IF OB(X) = R OR OB(X) = 16 THEN GOTO 1740 1730 PRINT : PRINT "THAT ISN'T HERE.": PRINT : GOTO 1760 1740 IF X > 0 THEN OB(X) = 16 1750 PRINT : PRINT "YOU'VE GOT THE "; NOUN\$(X); ".": PRINT 1760 X = 0: GOTO 1010 1900 **REM INVENTORY ROUTINE** 1910 X = 161920 PRINT : PRINT "YOU ARE CARRYING: ": PRINT 1930 GOSUB 2200 1940 **GOTO 1010** 2000 REM DROP ROUTINE 2010 GOSUB 2100 2020 IF'OB(X) = 16 THEN GOTO 2040 2030 PRINT : PRINT "I DON'T HAVE THAT.": PRINT : GOTO 2060 2040 OB(X) = R2050 PRINT : PRINT "I'VE DROPPED THE "; NOUN\$(X): PRINT 2060 IF OB(9) = 1 THEN GOTO 4010 2070 IF OB(1) = 1 THEN GOTO 4020 2080 GOTO 1010 2100 REM ROUTINE FOR CHECKING NOUN 2110 IF V1\$ = "LOOK" THEN GOTO 2140 2120 IF N1\$ = NOUN\$(7) OR N1\$ = NOUN\$(6) OR N1\$ = NOUN\$(5) THEN PRINT : PRINT "YOU CAN ONLY LOOK ... YOU CAN'T TAKE.": PRINT : GOTO 2180 2130 IF N1\$ = NOUN\$(2) AND C2 = 0 THEN PRINT : PRINT "UGH, IT'S STUCK. YOU'LL HAVE TO DIG IT OUT.": PRINT : **GOTO 2180** 2140 FOR A = 1 TO 10 2150 IF N1\$ = NOUN\$(A) THEN X = A:A = 0: RETURN 2160 NEXT 2170 PRINT : PRINT "I DON'T SEE " ;N1\$;" ... " 2180 POP : PRINT : GOTO 1010 REM ROUTINE FOR LISTING OUT OBJECTS 2200 2210 IF X = OB(1) THEN PRINT "ICECUBES": Y = 12220 IF X = OB(2) THEN PRINT "LADDER":Y = 1 2230 IF X = OB(3) THEN PRINT "MATCHES":Y = 1 2240 IF X = OB(4) THEN PRINT "BUCKET":Y = 1 2250 IF X = OB(5) THEN PRINT "STOVE":Y = 1 2260 IF X = OB(6) THEN PRINT "REFRIGERATOR":Y = 1 2270 IF X = OB(7) THEN PRINT "CHANDELIER":Y = 1 2280 IF X = OB(8) THEN PRINT "PIG": Y = 12290 IF X = OB(9) THEN PRINT "PENDANTS":Y = 1 2300 IF X = OB(10) THEN PRINT "SHOVEL":Y = 1 2310 IF Y = 0 THEN PRINT "NOTHING" 2320 PRINT 2330 Y = 0: RETURN 2500 REM CLIMBING ROUTINE 2510 IF OB(2) = 16 OR OB(4) = 16 THEN GOTO 2530 2520 PRINT : PRINT "YOU HAVE TO GET THE PROPER OBJECT BEFORE YOU CAN CLIMB IT.": PRINT : GOTO 1010 2530 IF N1\$ = NOUN\$(4) THEN PRINT : PRINT "THE BUCKET IS VERY UNSTABLE ... YOU TRIP, FALL OFF AND BREAK YOUR GREAT TOE WHICH RENDERS YOU INCAPABLE OF FINISHING THE GAME.": GOTO 4100 2540 IF N1\$ = NOUN\$(2) THEN GOTO 2560 2550 PRINT : PRINT "YOU CAN'T CLIMB A ";N1\$;".":PRINT : **GOTO 1010** 2560 IF C1 = 1 THEN GOTO 2580 2570 IF R = 7 THEN PRINT : PRINT "YOU HAVE OBTAINED SOME SHINY DIAMOND-LIKE PENDANTS HANGING ON THE CHANDELIER. YOU CLIMB DOWN THE LADDER.": DES\$(7) = "THERE ARE NO MORE PENDANTS

HERE, GREEDY.": PRINT :C1 = 1:OB(9) = 16: GOTO 1010 2580 PRINT : PRINT "YOU CLIMB UP THE LADDER, FIND NOTHING AND CLIMB BACK DOWN.": PRINT : GOTO 1010

30

2600 REM DIGGING ROUTINE

- 2610 IF C2 = 1 THEN PRINT : PRINT "YOU'VE ALREADY GOT A LADDER. ONLY ONE TO A CUSTOMER.": PRINT : GOTO 2640
- 2620 IF OB(10) = 16 AND R = 4 THEN PRINT : PRINT "THE LADDER IS LOOSE AND YOU CAN GET IT.": PRINT :C2 = 1: GOTO 2640
- 2630 PRINT : PRINT "I DIG IT BUT YOU AREN'T IN THE RIGHT PLACE WITH THE RIGHT IMPLEMENT.": PRINT
- 2640 GOTO 1010
- 4000 REM WINNING ROUTINE
- 4010 PRINT : PRINT "THOUGHT YOU COULD FOOL ME WITH THOSE CRUMMY ";NOUN\$(9)".": PRINT "YOU LOSE.": GOTO 4100
- 4020 IF OB(3) = 1 THEN PRINT : PRINT "THE MATCHES FLARE UP AND MELT THE ICECUBES AND OUT FALLS A CHEAP INDUSTRIAL GRADE DIAMOND. NOT MUCH, BUT ENOUGH TO WIN.": PRINT : GOTO 4100
- 4030 PRINT : PRINT "NICE TRY; BUT THOSE DARN CUBES ARE SO HARD I CAN'T TELL IF YOU'VE WON OR NOT.": PRINT : GOTO 1010
- 4100 REM ROUTINE TO END PROGRAM
- 4110 TEXT : HTAB 10: PRINT " 'BYE": END
- 9000 HTAB (5): PRINT "THE CASE OF THE PIG-HEADED DIAMOND": PRINT
- 9010 PRINT "YOU HAVE BEEN RETAINED TO RECOVER THE FAMOUS 'PIG' DIAMOND STOLEN FROM THE SMALL MANSION OF CARLYSLE SMEDLEY GRUM."
- 9020 PRINT : PRINT "YOU KNOW THERE IS A DEATH TRAP ON THE ESTATE SO YOU MUST BE CAREFUL."
- 9030 PRINT : PRINT "GOOD LUCK!"
- 9040 PRINT : PRINT "TO PLAY, PRESS ANY KEY: ";: GET A\$: RETURN
- 10000 REM DATA STARTS HERE
- 10010 DATA 2,0,0,0,0,0,"DIAMOND BANK...DROP THEM HERE TO WIN."
- 10020 DATA 3,1,0,0,0,0,"LONG SHADY ROAD"
- 10030 DATA 5,2,0,0,0,0,"BOTTOM OF HILL"
- 10040 DATA 0,0,5,0,0,0,"DUSTY GARAGE"
- 10050 DATA 8,2,6,4,0,0,"OPEN FRONT DOOR"
- 10060 DATA 0,0,0,5,0,0,"OVERGROWN GARDEN"
- 10070 DATA 10,0,8,0,0,0,"LIBRARY"
- 10080 DATA 11,5,9,7,0,0,"FRONT HALLWAY"
- 10090 DATA 12,0,0,8,0,0,"LIVING ROOM"
- 10100 DATA 13,7,11,0,0,0,"BATHROOM"
- 10110 DATA 14,8,12,10,0,0,"MIDDLE HALLWAY"
- 10120 DATA 0,9,0,11,0,0,"KITCHEN"
- 10130 DATA 0,10,14,0,0,0,"BEDROOM"
- 10140 DATA 0,11,0,13,0,15,"FAR HALLWAY"
- 10150 DATA 0,0,0,0,14,0,"DANK CELLAR"
- 10160 DATA "ICECUBES", "LADDER", "MATCHES", "BUCKET", "STOVE", "REFRIGERATOR", "CHANDELIER", "PIG", "PENDANTS", "SHOVEL"
- 10170 DATA "THEY LOOK LIKE SOME EXTREMELY HARD FROZEN ICECUBES.",''IT IS A RICKETY, SHAKY LADDER.","THE BOOK OF MATCHES SAYS, 'ENROLL NOW IN BASIC COMPUTER PROGRAMMING COURSE.' ",'THE BUCKET HAS A SIGN ON IT SAYING 'DON'T KICK ME.' "
- 10180 DATA "IT IS AN OLD FASHIONED GAS STOVE.","THE REFRIGERATOR CREAKS AND GROANS BUT IT APPEARS TO BE WORKING. THERE ARE SOME ICECUBES IN IT.","THE CHANDELIER HAS SOME BRIGHT SHINY DIAMOND-LIKE PENDANTS HANGING FROM IT."
- 10190 DATA "IT IS A SHROPSHIRE SHOAT, SOUND ASLEEP, WHICH WAS HOGGING THE BATHROOM.","THE PENDANTS APPEAR TO BE DIAMONDS."
- 10200 DATA "THE SHOVEL IS RUSTY AND LOOKS LIKE YOU COULD CUT YOURSELF ON IT."
- 10210 DATA 0,4,15,1,12,12,7,10,0,6

SOFTLINE

SL

ole II Graphics

by KEN WILLIAMS

We've talked about how your Apple's memory is laid out, how to poke stuff into memory to effect the display, how to work with binary, hex, and decimal numbers, and how to animate using shapes.

This month, we'll explore the world of byte-move animation. This technique is very different from animating with shape tables and is used in many of today's computer games.

When you create a shape in hi-res, what you are really doing is giving the computer a set of directions to follow when it draws the shape on the screen. (For an explanation of defining shapes, refer to chapter 9 in your Applesoft manual.) Every time the shape is drawn or Xdrawn, your computer follows those directions (for instance, plot the first point, then move up, then move to the left twice without plotting, then plot that point and move down one ...) to recreate the shape on the screen.

That procedure is fine for some applications, but each component instruction must be processed every time the shape is drawn, and that is relatively slow since even a simple shape can easily contain a hundred instructions. Speed is one of the primary requirements for smooth, flicker-free animation in which the figures seem to appear on the screen instantaneously.

Byte-Size Pieces. The idea behind byte-move graphics is to translate any desired figure into the corresponding data values and then poke those values directly onto the screen instead of using shapes to draw the figure. Type in the following program and run it. If you want to spare your fingers, you may omit the rem statements.

10	REM INITIALIZE Y
20	REM COORDINATES
30	REM
40	Y1% = 1:Y2% = 2:Y3% = 3:Y4% = 4:Y5% = 5:Y6% =
	6:Y7% = 7
50	REM
60	REM READ DATA FOR FIGURE
70	REM
80	FOR I = 1 TO 4: REM 4 FRAMES
90	FOR J = 1 TO 7: REM 7 BYTES PER FRAME
100	READ V%(I,J)
110	NEXT J,I
120	REM
130	REM INITIALIZE ADDRESSES
140	REM OF Y COORDINATES
150	REM
160	Y%(1) = 8192:Y%(2) = 9216:Y%(3) = 10240:Y%(4) =
	11264:Y%(5) = 12288:Y%(6) = 13312:Y%(7) = 14336
170	HGR
180	REM
190	REM POKE THE FOUR FRAMES
200	REM
210	
220	
	POKE Y%(Y7%),V%(I,7)
230	POKE Y%(Y2%),V%(I,2):
	POKE Y%(Y6%),V%(I,6)
240	POKE Y%(Y3%),V%(I,3):
	POKE Y%(Y5%),V%(I,5):
	POKE Y%(Y4%),V%(I,4)
250	NEXT
260	GOTO 210: REM START AGAIN
270	REM
280	REM DATA FOR THE FOUR FRAMES
290	REM
	DATA 1,2,4,8,16,32,64
	DATA 8,8,8,8,8,8,8,8
320	DATA 64,32,16,8,4,2,1
330	DATA 0,0,0,127,0,0,0

S

E

Ρ

Т

E

M

B

R

F

If you managed to type everything in correctly, you'll see what passes for an airplane propeller spinning in the corner of your monitor screen. You must have noticed the delay in running the program before the animation began. That is a characteristic of bytemove graphics, even in the professional games, and it is caused by the need to initialize several tables before the animation can take place.

In our listing, line 40 sets the seven Y coordinates used in the figure and line 160 assigns the seven corresponding addresses. Lines 80 through 110 set up a table that contains four versions of the prop, each in a different rotation and each using seven screen lines.

To understand this, let's look at a diagram of each of the four frames, where X indicates a screen dot turned on, and - represents an off dot.

Although the figure appears to rotate like a propeller, the program is actually flashing the four frames onto the screen sequentially. It happens quickly enough that your eyes and brain are fooled into thinking the rotation is continuous-the poke is quicker than the eye!

Frame #1 in figure 1 shows the propeller running diagonally, and it also gives the binary bit pattern used to produce each dot pattern (remember, the dots are displayed as the reverse of the bits in each byte) and the equivalent decimal value. If the translation from dot pattern to binary and decimal value overloads your brain, go get something to drink, and then reread the third article in the series where we discuss the (many) peculiarities of hi-res graphics. The decimal values calculated in figure 1 correspond with the data values you see in lines 300 through 310.

The true heart of the program is the loop from lines 210 to 250 where each frame in turn is poked into hi-res screen memory. Using variables in the poke statements obscures the mechanics of what we're doing, but it also enhances the execution, as it takes more time for the computer to generate a number such as 12288 than it does to look that value up in an array.

The other reason for all the variables is that we are going to alter the routine to allow the propeller to be placed at any Y coordinate on the screen. The array Y% will contain the starting addresses for

	NARY DECI-			DECI-
PATTERN VA	LUE MAL	PATTERN	VALUE	MAL
X 0000	0001 1	- X	0000 1000	
	0001 1 0010 2	X	0000 1000	8
	0100 4	X	0000 1000	8
	1000 8	X	0000 1000	8
	0000 16	X	0000 1000	8 8
0001	0000 32	X	0000 1000	8
	0000 64	X	0000 1000	8
0100	AE #1	a construction of the second	FRAME #2	0
	ARY DECI-			DECI
PATTERN VAL	UE MAL	PATTERN	VALUE	MAL
X 0100	0000 64		0000 0000	0
X- 0010	0000 32		0000 0000	0
X 0001	0000 16		0000 0000	0
X 0000	1000 8	XXXXXXXX	0111 1111	127
X 0000	0100 4		0000 0000	0
-X 0000	0010 2		0000 0000	0
X 0000			0000 0000	0
FRAM	1.00	1	FRAME #4	

Figure 1.

8

9

1

2

each line of the screen, and Y1% through Y7% will contain the seven Y coordinates used in the figure.

But let's get back to those poke statements. Line 220 pokes the first and seventh bytes, V%(I,1) and V%(I,7), line 230 pokes the second and sixth, and line 240 pokes the third, fifth, and fourth bytes. The bytes are poked in that peculiar order to improve the image, but you might like the effect obtained by poking the seven bytes in numerical order instead. Try it!

The propeller is an example of stationary animation; that is to say that though the prop moves, it always stays in the same position on the screen as it does so. Most figures you use in a game need to move around the screen, so we'll alter our program shortly to allow that. There are, however, many applications for stationary animation; the Applevision demo on your DOS 3.3 System Master is an example, as is putting a scoreboard on the hi-res screen. In the instance of the scoreboard, the frames would not be pictures of a moving object; instead you would use successive digits.

Drop the Prop. With the previous program still in memory, type in the following lines:

160 GOSUB 1000: REM CALC ADDRESSES 245 Y1% = Y1% + 1: Y2% = Y2% + 1: $Y_{3\%} = Y_{3\%} + 1$: $Y_{4\%} = Y_{4\%} + 1$: Y5% = Y5% + 1: Y6% = Y6% + 1: Y7% = Y7% + 11000 REM 1010 REM CALCULATE Y 1020 **REM COORDINATES** 1030 REM 1040 DIM Y%(192) 1050 FOR I = 1 TO 185 STEP 8: READ SA% 1060 FOR J = 0 TO 7: Y%(I + J) = SA% + J * 10241070 NEXT J.I





S

F

1090 DATA 8232,8360,8488,8616,8744,8872,9000,9128 1100 DATA 8272,8400,8528,8656,8784,8912,9040,9168

1110 RETURN

Lines 1000 through 1110 calculate the starting addresses for each of the 192 lines on the screen in the same way you would find them if you were to use the method described (albeit sketchily) on page 21 of your *Apple II Reference Manual*. After each frame of the prop is poked onto the screen, line 245 increments each of the seven Y coordinates so that the next frame will appear one line below the last.

Run the modified program, and you'll see the propeller spinning as it drops down the left side of the screen. You will also see a trail of garbage left behind as the figure progresses.

Oh well, you couldn't have a program work right the first time, could you? Most of the figure is erased when the next frame is drawn over it, but since each frame is lowered one line, the top line of each frame remains to haunt you.

The problem is easily remedied by inserting:

- 244 Y0% = Y1%
- 215 POKE Y%(Y0%),0

Line 244 sets Y0% to the coordinates of the top line, and line 215 pokes a zero into that address in order to erase the old top line. Now, when you run the program, the picture moves down the screen without leaving a trail.

So Much for the Easy Stuff. So far you have done a stationary animation and a vertical animation using byte-move, but we have left horizontal animation for last. Type in and run the following routine:

- 10 HGR
- 20 FOR L = 8192 TO 8231
- 30 POKE L 1,0: REM ERASE PREVIOUS BYTE
- 40 POKE L,127
- 50 FOR I = 1 TO 50: NEXT I
- 60 NEXT L

The program is short and simple, and it moves a line across the screen quickly, even with the delay loop. But it has one drawback fatal to any game: the animation is jerky instead of being nice and smooth. Poking the value 127 turns on all seven dots of a byte, and if you increase the delay, you'll see that the line moves in one-byte increments, which explains the uneven movement. The answer is elegant, though not without problems: move the figure along one dot at a time.

Imagine that you are looking out a window that is seven dots wide, and that the line crawls across your field of vision. At first you see only the leading dot, then the first two dots, then three, four, and so on until all seven dots are visible through the window. Then, as the line continues, the leading dot moves out of range, then the second dot follows; that continues until the window is empty.

In computer terms, the window is one byte of memory, and when just the lead dot of the line is showing in a byte, the other six dots are showing in the previous byte. In that case, you need one byte with just the left-most dot on, and another with the six righthand dots on; the values 1 (0000 0001) and 126 (0111 1110) will do the trick. Again, remember that the bit pattern is the reverse of the desired dot pattern. (Curses!) From Basic type:

HGR POKE 8192,126: POKE 8193,1 POKE 8192,124: POKE 8193,3 POKE 8192,120: POKE 8193,7 POKE 8192,120: POKE 8193,15 POKE 8192,96: POKE 8193,31 POKE 8192,64: POKE 8193,63 POKE 8192,0: POKE 8193,127

F

It is another characteristic of byte-move graphics that each figure requires seven shifted copies, or *separations*. That means that a figure one byte wide actually requires two bytes, a two byte figure requires three bytes, and so on.

Entering each pair of pokes shifts the line one dot to the right, so the cumulative effect is to move the line slowly across the screen. You could continue the process by poking the same sequence of values into locations 8193 and 8194, but at that rate it would take you several hours to go all the way across. The following program does essentially that, but faster.

10 DIM A%(280) : REM 280 X COORDINATES 20 REM 30 REM READ THE VALUES FOR 40 **REM THE 7 PAIRS OF FRAMES** 50 REM FOR I = 0 TO 6 60 70 READ T%(I),H%(I) 80 NEXT I 90 REM 100 HGR 110 REM 120 **REM INITIALIZE THE TABLE** 130 **REM OF ADDRESSES** 140 REM 150 | = 0160 FOR I = 8192 TO 8231 170 A%(J) = I:J = J + 1180 NEXT 190 REM **REM PLOT THE LINE AT** 200 210 **REM EACH X COORDINATE** 220 REM 230 FOR X = 1 TO 280240 Q% = INT (X / 7)250 $R^{0/0} = X - (7 * Q^{0/0})$ 260 $C^{0/0} = Q^{0/0} + 1$

For example:

.....

S

E

P

T

Touch-Tone and Pulse Dialing

- 270 POKE A%(Q%),T%(R%): POKE A%(C%),H%(R%)
- NEXT X 280
- 290 END
- 294 REM
- 295 **REM DATA TABLE**
- 296 REM
- 300 DATA 126,1,124,3,120,7,112,15
- 310 DATA 96,31,64,63,0,127

Again, we use variables to speed up the program and confuse the reader. The values for the line are read into arrays T% (for tail) and H% (head) in lines 30 to 80, and array A% contains the addresses for each of the forty bytes across the top of the screen and is initialized in lines 120 through 180. The loop from 230 to 280 plots the line at every X coordinate across the screen, but lines 240, 250, and 260 merit more study.

The purpose of these lines is to determine which pair of bytes is being used and which of the seven pairs of values need to be poked. They do that by dividing the X coordinate by 7, and calculating the quotient (Q%) and the remainder (R%). For example, when the X coordinate is 73, seven g'zinta 73 (do you remember your g'zintas?) ten times, with three left over. So you need to poke the tenth and eleventh bytes with the third pair of values.

As you can see, even as simple a figure as the line requires seven different versions and significant preparation to animate horizontally, but the animation that results is as smooth as you could wish for, even if it is a bit slow. Most games are written in machine language to take advantage of the better speed of execution, but these examples in Basic serve to give you the idea.

Next time, we'll talk about ways you can streamline animation by doing partial modifications, preshifting, and precomputing. After that, we'll talk about some of the methods used to detect collisions between objects on the screen.

But for now, you have enough stuff to make your head hurt until the next issue arrives. SL


2

8




E Μ В F R 1 9

PINBALL HAS GONE INTO ORBIT! Now that you've conquered pool hall pinball, it's time to take your Apple* into outer space



ZERO GRAVITY PINBALL

\$29.95 plus postage





AVANT-GARDE CREATIONS P.O. Box 30160 Eugene, OR 97403 (503) 345-3043 *Apple II, Applesoft are registered trademarks of Apple Computer, Inc.

VISA/MasterCard accepted

ZERO GRAVITY PINBALL

A machine language arcade game with fullcolor hi-res graphics, and sounds like you've never heard before.

Game/Publisher Score

92,500 ABM_Muse Action Quest, JV Software Alien Ambush, Peter Fokos Alien Descent (TRS-80) 20/82 *84,600 164,350 Alien Rain, Broderbund 1,103,000 Alien Nain, broderbund Alien Typhoon, Broderbund Andromeda, Gebelli Apple Panic (Apple), Broderbund Apple Panic (Atari), Broderbund *69,200 •685,680 *53,500 *546,320 675,840 Asteroid Field, Cavalier 623,000 Asteroids, Atari 1,274,180 Autobahn, Sirius Avalanche, Atari 2,179 Miles *1,812 Bandits, Sirius Beer Run, Sirius •313,310 *8,626 Bezman, Bez Bez-Off, Bez 110,769 27,156 Blister Ball, Creative Computing Blister Ball, Creative Computing *18,960 Borg, Sirius Borg, Strius Bug Attack (Apple), Cavalier Bug Attack (Atari), Cavalier Cannonball Blitz, Sierra On-Line Canyon Climber (Atari), Datasoft 140,000 42,926 1.000.000 216,000 *796,900 Caverns of Mars, Atari *71,490 Ceiling Zero, Turnkey 630,400 Chicken (Atari), Synapse Chipout, California Pacific *21,630 Clowns and Balloons (Atari), Datasoft 58,500 •27,154 Congo, Sentient *7,890 Cosmo Mission, Astar Int'l County Fair, DataMost *2,369 Cricketeer, Software Farm Crossfire (Apple), Sierra On-Line 41,210 1,120,310 Crossine (Appie), Sierra On-Line Crush, Crumble, and Chomp, Epyx Cyclod (Apple), Sirius Cyclod (Atari), Sirius 944,450 1,290 28,470 40,297 Dark Forest, Sirius Datestones of Ryn, Epyx David's Midnight Magic, Broderbund 16,364 •5,530 1,690,480 Dodge Racer, Synapse Dogfight, Micro Lab *4.614 3,390 2.905 Dragon's Eye, Epyx *235,900 Eliminator, Adventure Int'l 542,040 Epoch, Sirius *41,200 Escape, Muse Escape from Arcturus, Synergistic * 5,735 223,048 Falcons, Piccadilly Firebird, Gebelli 555,550 Firebug, Muse *9,125 Galactic Chase, Prism 106,220 3,217 Galactic Empire, Broderbund Galactic Quest, Crystalware Galaxy Travel, Tokumo *10,090 *51,320 Galaxy Wars, Broderbund Gamma Goblins, Sirius 53,700 *18,160 Genetic Drift, Broderbund 1,020,000 Ghost Hunter, Arcades Plus Goblins, Highlands Golden Mountain, Broderbund 78,860 2,202,400 \$2,136,000 Gold Rush, Sentient *67.900 Gorgon, Sirius Guardian, Continental *16,660 256,170 Hadron, Sirius Head-On, California Pacific 234,580 5,570 High Orbit, Gebelli *58,405 *143 Horizon V, Gebelli Human Fly, CPU Hungry Boy, California Pacific Int'l Gran Prix, Riverbank *39,040 Intruder Alert, Dynacomp 3,633 Invasion Force, Computhings 15,820 Jawbreaker (Apple), Sierra On-Line 267,650 Jawbreaker (Atari), Sierra On-Line •176,310 Jellyfish, Sirius *290,000 Juggler, IDSI Kamikaze, Hayden 206,380 *4,560 K-Razy Shoot-Out, K-Byte 97,200 Kayos, Computer Magic *19,300 Labyrinth, Broderbund Laf Pak: Apple Zap, Sierra On-Line Laf Pak: Creepy Corridors, Sierra On-Line Laf Pak: Mine Sweep, Sierra On-Line 54,610 *31,435 *4,100 *4,409 *9,856 Laser Maze, Avant-Garde *45,700 Lazer Silk, Gebelli Lemmings, Sirius Marauder, Sierra On-Line *58,638 *173,900 149,561,409 Mar Tesoro, Syncro

S

315

*33

Peter Sivo, Saratoga, CA Steve Halberstadt, Newark, DE Derin Basden, Fresno, CA Chris Athanas, Topsham, MA Ron Bunch, Collegedale, TN Shane Rolin, Monroeville, PA Denise Achram, Canton, MI Joey Grisaffi, Houston, TX James Baker, Alexandria, VA Shane Rolin, Monroeville, PA Jeff Feldman, Miami Beach, FL Ken Williams, Niles, OH Mark Hall, Lake Oswego, OR Brian Hall, Milford, MI Norman Fong, San Francisco, CA Norman Fong, San Francisco, CA Harry Ilg, Chesterfield, MO Norman Humbert, Fountain Valley, CA Kerry Shetline, Neil Radick, Morristown, NJ 7,164 (2 player) Klaus Liebold, Poway, CA *331 (1 player) Matt Sesow, Lincoln, NE David Porter, Hillsdale, IN Chris Conway, Winnetka, CA Ron Bunch, Collegedale, TN Shane Rolin, Monroeville, PA Tak Szeto, Boston, MA Denise Achram, Canton, MI Shane Rolin, Monroeville, PA ,, Jason Meggs, Bethesda, MD Joey Grisaffi, Houston, TX Mark McKeown, San Jose, CA Matt Skinner, Foster City, CA Derin Basden, Fresno, CA Rod Nelson, program author Brian Condon, Marietta, GA Bryan Lum, San Francisco, CA Ledru Corlett, Runaway Bay, TX Buell Hollister IV, Shelburne, VT Chris Conway, Winnetka, CA Allen Holland, Downey, CA Eric Vesper, Saint Louis, MO Norman Fong, San Francisco, CA Ed Mixon, Ypsilanti, MI Hugh Godfrey, Phoenix, AZ Adam Newman, Teaneck, NJ Dave King, Los Altos Hills, CA Fred Nisewanger, Fremont, CA Dick Nitto, Binghamton, NY Steve Rothenberg, Mayfield Hts., OH Jim David, Lyndhurst, OH Andrew MacKenzie, San Francisco, CA Matt Yuen, North Hollywood, CA Shane Rolin, Monroeville, PA Jeff Parrish, Overland Park, KS Jim Kelton, Huntington Beach, CA Randy Hayes, Yuba City, CA Brian Donnelly, Ipswich, MA Bob Farr, Trenton, NJ Tom Bredehoft, Columbus, OH Steve Tretick, Wheaton, MD Linda Stix, Seattle, WA Scott Sanchez, San Juan Capistrano, CA Lee Stafford, Phoenix, AZ Lee Stafford, Phoenix, AZ Norman Fong, San Francisco, CA Al Tommervik, North Hollywood, CA Steven Mundy, Ballwin, MO Steve Cloutier, East Greenwich, RI David Durkee, Burbank, CA Jim Stockla, Shelton, CT Buell Hollieter IV, Shelburne VT Buell Hollister IV, Shelburne, VT Dale Monson, Denver, CO Brent Shaw, Yorktown, NY Randy Dellinger, Fort Belvoir, VA Jon Hickey, Narragausett, RI Gregg Rosendin, San Jose, CA Shane Rolin, Monroeville, PA Eric Vesper, Saint Louis, MO Matt Cox, New City, NY Jason Meggs, Bethesda, MD Shane Rolin, Monroeville, PA Shane Rolin, Monroeville, PA Don Carlston, Iowa City, IA Buell Hollister IV, Shelburne, VT Buell Hollister IV, Shelburne, VT Buell Hollister IV, Shelburne, VT Roe R. Adams III, Hartford, CT Rob Berkowitz, Goldens Bridge, NY Donald Brown, Des Moines, IA Christian Juhring, Carmel, CA

Player

*Verified score

HIGH SCORES

Next high-score deadline: 9:00 p.m., October 9.

Highlines

Who knows what evil lurks . . .?

"Why didn't you report my high score?" Well, it's like this

High scores for Snoggle, aka Puckman, and Olympic Decathlon will no longer be accepted. Yes, certain per-sons have discovered how to finagle the scores on these fine games, thus spoiling things for the rest of us. The weed of crime bears bitter fruit. Also, high scores on Centipede have been suspended until such time as Atari releases the game. It seems a few of you out there are playing the drastically simple prerelease copies and the game stands to undergo substantial (that is, competitive) changes before it's finally released. Thanks to David Plotkin for the tip, and also for clearing up the Asteroids controversy. ("Using 'flipover' or 'no effect' racks up points at twice the rate that using 'shields' or 'hyper-space' does." Fair enough.) Peter Clark reports that you can type in any score you want at the end of Odyssey. Odyssey scores will therefore be verifiable in the future by witness only, no photos or screen dumps; ditto Taxman. By the way, Peter, Atlantis, in Apventure to Atlantis, is the really big island with the castle. (If in doubt, use the direction finder.)

Alas, the most excellent Star Blazer and Choplifter must also fall by the wayside. The maximum possible scores on both these games have been achieved by quite a few players. All such games, along with very old games, or games from defunct companies, generally will not be appearing here (fare thee well, *Crop Duster*).... Finally, if your high score doesn't fall into any of these catego-ries and you're still wondering why you don't see it here-in, know this: if we've never heard of the game, and you don't tell us the name of the publisher or the computer on which you played it, your name is that much less like-ly to make the rolls. This means you, **Lee** and **Carole Hampton**. We don't know Myriapede, and Crofton, Maryland, information doesn't know you. Let's make things easy for each other.

Kudos to Roe Adams for diabolically beating out last issue's Most Incredibly High Score (Mar Tesoro) with his performance on Taipan! He quit playing when he found he could make more profit by leaving his money in the bank, collecting interest, than by trading. His biggest \$1.2 billion for ten thousand units of opium at \$102,000 per unit. Nice work if you can get it.

The Tranquility Base challenge was answered by Brian Donnelly ("I don't mean to blow your mind but 1,620 is my new high score and I was burning it on those pads! I took a picture and will be sending it to all you disbe-lievers!"), but the point was rendered moot by Matt Rosenbaum, who took four pictures of the screen every time he beat the previous high and had his feat wit-nessed by his brother. Brian Fargo rebuts Norman Fong's challenge with the revelation that while some versions of

Swashbuckler roll over at 255, others, like his, do not. Verification: the controversy heats up. On one side, Ken Mikoloj ("I have no picture, but don't worry about it! I'll just do it again and make sure I have my camera handy") and **Shane Rolin** ("I have no verification but I trust you will take my word for these feats"), among others, and on the other side a growing number of concerned gamers who are pushing for absolute, positive verification for every single score. We shall probably have to call for a referendum soon, before the revolution

About verification by witness, still the easiest and best: it does not consist of writing, "This score was veri-fied by my mother/cousin/iguana..."; it consists of someone else applying their signature to the medium upon which you have recorded your score, in witness thereof.

Warner Young would like to know how to turn off the sound in Atari Crossfire.

2

35

E F 1 9 Ρ Т B E R 8 M

Michael Prater; Glendale, CA

HIGH

Next high-score deadline: 9:00 p.m., October 9.

lighlines

John Hickey would like to know how long the present and previous title holders for Falcons had the game before posting their highs. He can't seem to make any progress

Our sympathies to Peter Gordon, who played Snake Byte all night before going to bed (leaving the computer on, at risk of great peril from his father), and was about to wake up his sisters the next morning to show them his high score when a power failure hit Teaneck, New Jersey, and all was lost.

Fred Nisewanger, thirteen, has not been able to figure out how to get past the first chasm in Wizard and the Princess. Someone drop him a note, via Directline, or maybe two halves of a note. (Hmmm. . . .)

Eric Snider emerged the victor from an eleventh-hour intercontinental struggle with Eric Popejoy for supremacy in Serpentine. (There is certainly no significance in the similarities between Mr. Snider's name and home-town and that of program author David Snider—he didn't get his copy before anyone else or anything like that, heck no.) Snider wants to know if we will return disks used as verification of high scores. Yes, if a disk mailer with return address and adequate postage is included

Bravo Mark Adams for refusing to contribute to the clinate of paranoia that so plagues these modern times. Rather than dispute Jeff Parish's score in Galactic Empire, he altered the program so he could conquer all nineteen star systems in under three years, and was amazed to see his score was only 2,047. "I am not calling Jeff Parish a liar; maybe he has a different version than mine, or a vivid imagination," muses Mark. Or maybe the Empire frowns on alterations.

A.J. Benway's Caverns of Mars challenge to Shane Rolin (By the way, Shane, do you live in Pittsburgh or Mon-roeville? Do you commute?) must now include Tak Szeto, whose verification photo, we admit, did not include the name of the game in the screen display. A.J.'s mathematical calculations of the highest possible score go as follows: "The maximum points possible per one section of cavern is 6,400. There are five sections per cavern, and there are five caverns in the game. Now let's compute! $6,400 \times 5$ sections = 32,000 points per cavern. To 32,000 we add 20,000 for shooting every possible obstacle (impossible). 32,000 + 20,000 = 52,000, multiplied by five caverns, equals 260,000 maximum possible points. Please have Mr. Rolin explain!"

A good try by nine-year-old brownbelt Craig "Karate Kid" Rankinen on Canyon Climber-just not good enough. In fact, not even close. Maybe someday when you're older, Kid. No hard feelings, right? Shake. Hey, what. . . ? No, wait! No! Yaaaaah!!

O

S

Zero Gravity Pinball, Avant-Garde

F

Т

N

E

I

No, Lee Stanford, the boot bug in your Russki Duck that lets you "gain points very fast" is not a "loophole," something that a gamer discovers through intensive play and close observation, utilizing to best strategic advantage. The true gamer scorns the artificial advantages of bugs as dishonorable. All the scores that have been creeping in for the so-called Jawbreaker II fall into that category, a deviation that offers invulnerability, big totals, and a good time, but at what cost? Let's all take a lesson from Patrick E. Bachelder, P.E., who discovered the tendency of Stellar Invaders not to reset after the last creature is destroyed, leaving the commander flying around indefinitely at twenty points a shot. Disdaining the seeming opportunity, Patrick sent in a "legitimate" score of 1,610 and included information on how to spot the score of anyone trying to take advantage of this venerable game's infirmity. It is a far, far better thing you do, Pat.

Norman Fong: answer your mail. The natives grow restless. Disputed:

Caverns of Mars: A.J. Benway challenging S. Rolin over 26,000 maximum possible score.

Falcons: J. Grisaffi challenging J. David over final digit; fixed version.

Match Racers, Gebelli	6,231.1 Miles
Megalegs, Megasoft	*61,340
Meteoroids (Asteroids) in Space, Quailty	55,335
Microwave, Cavalier	*109,061 *398,285
Minotaur, Sirius Missile Command, Atari	6,811,460
Missile Defense, Sierra On-Line	278,900
Mission Escape, CE Software	*3,161
Morloc's Tower, Epyx	14,317
Mouskattack (Apple), Sierra On-Line	*89,100
Mouskattack (Atari), Sierra On-Line	590,300
Nautilus, Synapse	43,100
Neptune, Gebelli Nightmare Gallery, Synergistic	*13,040 141,050
Night Mission Pinball, SubLogic	*34,186,820
Norad, Southwestern Data	*28,240
Odyssey, Synergistic	*225,300
Orbitron, Sirius	*153,000
Outpost, Sirius	*30,855
Pacific Coast Highway (Atari), Datasoft	*100,900
Pac-Man, Atari Pathfinder, Gebelli	934,793 *25,254,326
Peeping Tom, Micro Lab	*12,360
Pegasus II, Sierra On-Line	*217,270
Phantoms Five, Sirius	42,670
Photar, Softape	*324,299
Pigpen, DataMost	*344,640
Planetoids, Adventure Int'l	584,160
Preppie, Adventure Int'l	*59,310
Procyon Warrior, Synergistic	*195,000
Protector, Synapse Pulsar II, Sirius	*58,000 *61,968
Quadrant 6112, Sensible	*71,990
Raiders of the Lost Ring, Cavalier	*128,030
Raster Blaster (Apple), BudgeCo	7,025,500
Raster Blaster (Atari), BudgeCo	1,028,000
Rear Guard (Apple), Adventure Int'l	65,325
Rear Guard (Atari), Adventure Int'l	77,530
Red Alert, Broderbund	*82,800
Ribbit, Piccadilly	*231,980
Roach Hotel, Micro Lab Rocket Command, Norell	*12,350 *778,070
Russki Duck, Gebelli	241,000
Sabotage, Sierra On-Line	86,431
Serpentine, Broderbund	*705,650
Sheila, H.A.L. Labs	91,500
Shooting Gallery (Apple), Western Micro	*3,495
Shooting Gallery (Atari), Western Micro	115,210
Snack Attack, DataMost	*18,324
Snake Byte (Apple), Sirius	2,698,800
Snake Byte (Atari), Sirius Sneakers, Sirius	21,330 *1,035,982
Space Adventure, Sierra	70
Space Album: Asterisk, California Pacific	*6,242
Space Album: Death Star, California Pacific	•1,391
Space Album: Tail Gunner,	1000000
California Pacific	*44,898
Space Eggs, Sirius	53,000
Space Invaders, Atari Space Quarks, Broderbund	55,625 *8,590
Space Warrior, Broderbund	44,441
Star Blaster, Piccadilly	*52,553
Star Dance, USA	*3,453
Star Raiders, Atari	*Lt. Class 1
Star Thief, Cavalier	*23,660 (2 player)
CL THICK I	10 100 14 L
Star Thief, Cavalier Star Warrior, Epyx	19,400 (1 player)
Stellar Invaders, Apple	*1,872 *119,000
Suicide, Piccadilly	*58,250
Super Breakout, Atari	2,870
Super Invader, several publishers	99,675
Super Stellar Trek, Rainbow	7,262
Swashbuckler, DataMost	*1,501
Taipan, Avalanche	\$25.1 Billion
Tanktics, Avalon Hill	*495
Taxman, H.A.L. Labs	*999,980
Tharolian Tunnels, Software Farm Thief, DataMost	48,183 *23,760
Threshold (Apple), Sierra On-Line	*941,900
Threshold (Atari), Sierra On-Line	*309,500
Thunderbird, Urban Software	*28,260
Torax, Creative Computing	*34,780
Track Attack (Apple), Broderbund	*50,419
Track Attack (Atari), Broderbund	*10,706
Tranquility Base, California Pacific	*1,700
Tsunami, Creative Computing	12,336
Tumblebugs (Apple), Datasoft Tumblebugs (Atari), Datasoft	*7,205
Twerps, Sirius	*7,023 *6,250
Viper, RDA Systems	*758
Wormwall, Sirius	*120,380
and the second	17.050

Shane Rolin, Monroeville, PA Shane Rolin, Monroeville, PA Robert Pettit, Pittsburgh, PA Norman Fong, San Francisco, CA Christian Juhring, Carmel, CA Shane Rolin, Monroeville, PA Marc Vlasak, Tacoma, WA Steve Allen, Des Moines, IA Michael Hartwig, Lamoni, IA Mark Zeitler, Boca Raton, FL Shane Rolin, Monroeville, PA Joey Grisaffi, Houston, TX Buell Hollister IV, Shelburne, VT Buell Hollister III, Shelburne, VT Mark Hessman, Andover, MA Jeff Baker, Alexandria, VA Judson Cohen, Los Angeles, CA Dennis McEntire, San Jose, CA Yung-Chi Chu, Flint, MI Shane Rolin, Monroeville, PA Shane Rolin, Monroeville, PA Brian Hall, Milford, MI Jason Meggs, Bethesda, MD Fred Nisewanger, Fremont, CA Steve Rothenberg, Mayfield Hts., OH Norman Fong, San Francisco, CA Buell Hollister IV, Shelburne, VT Jason Meggs, Rochester, NY Shane Rolin, Monroeville, PA Keith Goldberg, Bellevue, WA Jon Mellott, Fort Wayne, IN Eric Vesper, Saint Louis, MO Chuck Hartley, Natick, MA Francis Wong, Ellicott City, MD Eric Morson, Stamford, CT Robert Hahn, Dayton, OH Matt Yuen, Van Nuys, CA Joey Grisaffi, Houston, TX Michael Yang, Parma, OH Andrew Mellin, Fort Lauderdale, FL Mike Post, Huntington Beach, CA Paul MacQuiddy, Sunnyvale, CA Norman Fong, San Francisco, CA Steve Cloutier, East Greenwich, RI Eric Snider, Franklin, MI Manuel Veloso, Lido Beach, NY Steve Rothenberg, Mayfield Hts., OH Shane Rolin, Monroeville, PA James Baker, Alexandria, VA Lisa Kislan, North Palm Beach, FL Chris Conway, Winnetka, CA Marc Brodsky, Woodbridge, CT Brian Welch, Saint Louis, MO Jason Meggs, Bethesda, MD Dave Ness, Saratoga, CA Charles Campbell, San Jose, CA Fred Nisewanger, Fremont, CA Darryl Terry, Trinity, AL

Pam Nitto, Binghamton, NY William Tung, Towson, MO Samuel Wilkof, Canton, OH Gary Miller, Monroeville, PA Ron Felder, Sunnyvale, CA Rob Berkowitz, Kenny Weinstock, Goldens Bridge, NY Max Harrell, Chickasaw, AL Ron Felder, Sunnyvale, CA Patrick Carle, Dunstable, MA Pam Nitto, Binghamton, NY Randy Dellinger, Fort Belvoir, VA Steve Rothenberg, Mayfield Hts., OH Paul Creager, Sunnyvale, CA Brian Welch, Saint Louis, MO Roe R. Adams III, Hartford, CT David Melendez, Rancho Palos Verdes, CA Eggy Paul, Orange, CA Howard McGee, Denver, CO Scott Wedel, Saratoga, CA Norman Fong, San Francisco, CA Ron Felder, Sunnyvale, CA Erik Talvola, Santa Rosa, CA D. Archibald, Minneapolis, MN Buell Hollister IV, Shelburne, VT Chris Conway, Winnetka, CA Matt Rosenbaum, Montville, NJ Kerry Shetline, Morristown, NJ Sharron Keck, Huntington Beach, CA David Rogers, Chagrin Falls, OH Dick Nitto, Binghamton, NY Andy Moore, Gaithersburg, FL Eric Vesper, Saint Louis, MO Joey Grisaffi, Houston, TX

SL



The Popular Arcade Game Now Available For Home Computers

OGGER

TM

FROGGER runs on any 48K APPLE II with DOS 3.3 or ATARI 400/800 with 32K and a Diskdrive, 16K and cassette, Frogger is available for \$34.95 at your local computer store or order directly from . . .

by SEGA®

No and a state

All orders by VISA, Mastercard, check, or COD. Add one dollar for shipping. California residents please include 6% sales tax.

36575 Mudge flanch Rd., Coarsegold, CR 93614 (209) 683-6858

N-LINE systems

and TM designate trademarks of Sega Enterprises, Inc.

© 1981 Sega Enterprises, Inc.

Welcome to your breaking **T**

CVBNM S Try to remain calm. We understand. You are worried that your computer might be attempting to coerce you? Well, what's a little coercion among friends?


2 3 4 2 6 7 6 6 0 = 12

DFGHJKL

ERTYUIIOP

As a new arrival on The Island, you will be expected to divulge certain information. You will not leave until we obtain it ... and we will. Of course, when we gain, you lose. Please endeavor to maintain the proper perspective. A pleasant adventure can so easily

lead to obsession . . . Applesoft, 48K, DOS 3.3 \$32.95 Available at computer stores on finer Islands everywhere. Exclusively from if™



S

X

is a registered trademark of Apple Computer Inc

aldd

interactive fantasies, a division of Edu-Ware Services.

LINE

RETURN

BACK



Copyright 1982 Edu-Ware Services

8

5

2

9